


Decorative Curtain Poles





Hand Operated Curtain Pole System

Silent Gliss® 6100M Metroflat 36mm




Product Information

- Hand operated system for domestic and contract applications
- Attractive contemporary appearance for modern interiors
- Can be bent to a small radius for bay windows
- Available in 8 finishes - white, chrome effect, silver, black, steel grey, bronze, antique bronze and gunmetal
- Accessorised with endcaps or a range of finials
- Easy fitting to wall or ceiling
- For light to medium weight curtains
- Profile length 6m (chrome effect 4m)
- Suitable for Wave Standard and Wave XL curtain heading systems



6100M

Profile, Bending and Specification Information



6101




Standard radius 200mm
Min. radius Wave XL: 500mm

Note: It is important to observe the above minimum bending radius for Wave XL. The system will not function with a smaller radius.

Specification Information - download from www.silentgliss.co.uk

Silent Gliss 6100M curtain track, hand drawn, aluminium, assembled complete with gliders 6143 at 10/m and 2 endcovers 0351. Face fix with bracket 3134/2-36/2/ 0989/ 0537/ 0334. Top fix with bracket 6138P/ 0335 at 700mm centres. Finished in white, black, silver, gunmetal, bronze, antique bronze, steel grey or chrome effect.



How To Measure



A: System Width - includes finials. See 'Design Options' for finial sizes.

Stack Size Calculation Wave Standard

6100M



a = Stack depth
b = Stack size
c = Min. distance

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
6	10	2.1	10	23 per metre of track + endpiece	8
6	12	2.3	12	23 per metre of track + endpiece	9
8	14	2.1	14	18 per metre of track + endpiece	10
8	16	2.3	16	18 per metre of track + endpiece	11


Wave standard with roller gliders

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
8	14	2.1	14	21 per metre of track + endpiece	10
8	16	2.3	16	21 per metre of track + endpiece	11

(dimensions in cm)

Note: Minimum distance (c) includes a standard 3cm clearance (front and back).

Stack size calculation Wave XL




a = Stack depth 35cm
 b = Stack size
 c = Min. distance 22cm

System width		77-107	108-143	144-179	180-215	216-251	252-287	288-323	324-359	360-395
	b	21	26	31	36	41	46	51	56	61
System width		396-431	432-468	469-503	504-539	540-575	576-600			
	b	66	71	76	81	86	91			
System width		154-217	218-289	290-361	362-433	434-505	506-577	578-600		
	b	21	26	31	36	41	46	51		

(dimensions in cm)


Design Options

Endcaps



Without finials, poles are supplied as standard with flush fitting endcaps 0351 (left). Alternatively, stud endcaps 0710 (right) can be selected at no additional cost.

Finials



Finials are decorative elements that fix to the end of the pole.




6100M

- A: 0991CL Shard (clear) 116mm
- B: 0991ET Shard (etched) 116mm
- C: Fused Barrel (walnut/oak/colour matched) 102mm
- D: Fused Ball (walnut/oak/colour matched) 63mm

Please consult the Metropole Brochure for full range details.

Wave Standard curtain heading system



The Wave curtain heading system is an exciting contemporary curtain heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.

When using the Wave curtain heading system please note the maximum recommended curtain weight is 2.5kg/m or 10kg/m with wave roller glider 6098W.

The Wave standard components are:

- 6345 Glider Cord 60mm
- 6346 Glider Cord 80mm
- 6007 End stop


The items listed below for Enhanced Wave (80mm glider cord only) are all supplied at an additional cost as per the price list.

- 2255 Adjustable brake
- 6364 Extension (for use with 6365)
- 6365 Hanger (for use with 6364)
- 6366 Carrier for draw rod


Roller gliders must be ordered separately
6098W Wave roller glider 80mm

Optional enhanced components to improve the presentation of the curtain>:


- 3582 Hook
- 6349 Curtain tape
- 6363 Iron-on top hemming tape
- 10075 Lead weight for bottom hem 50gr/m
- 10076 Fabric weight for side of curtain



Wave XL curtain heading system



6100M




Wave XL is especially designed for high and large application areas through generously designed waves with large cross section dimensions.

The Wave XL components are:


- 2216 Cord 0.85 mm
- 2255 Adjustable brake
- 6007 End stop
- 6349 Curtain tape
- 6363 Iron tape

Fitting Information

Bracket positioning when using brackets 3134/2-3136/2




Fitting bent tracks.





Note: all bent Metropole systems are supplied with adjustable bracket 0537 as standard.

Fitting Options

Wall fix with brackets 3134/2-3136/2





	X (mm)
3134/2	52
3135/2	72
3136/2	92



The final distances may be outside of the recommendations above depending on curtain heading, make-up and any obstructions.

Min. distance from wall when using Wave XL: 220mm.

Wall fix with Blok brackets 0989




The final distances may be outside of the recommendations above depending on curtain heading, make-up and any obstructions.

Min. distance from wall when using Wave XL: 220mm.




6100M

Ceiling fix with support 6138P



X (mm)
80




6138p
Ceiling support set
(3mm)


The final distances may be outside of the recommendations above depending on curtain heading, make-up and any obstructions.

Min. distance from wall when using Wave XL: 220mm.


Wall fix with adjustable bracket 0537



X (mm)
0537 80-100



0537
Adjustable bracket



6141
Track insert (uses
screw 0798)


The final distances may be outside of the recommendations above depending on curtain heading, make-up and any obstructions.

Min. distance from wall when using Wave XL: 220mm.


Note: all bent Metropole systems are supplied with adjustable brackets 0537 as standard.

Wall fix with maxi bracket 0334


6100M



X Y
0334 80 115



0334
Maxi adjustable
bracket



6141
Track insert (uses
screw 0798)

The final distances may be outside of the recommendations above depending on curtain heading, make-up and any obstructions.

Min. distance from wall when using Wave XL: 220mm.

X (mm)
0335 50


Standard Accessories

Parts

0351 Metroflat end cap



0537 Adjustable bracket



3133	Bracket cover (60mm)		3134	Extension bracket (60mm)	
6065	Twist eye endstop		6101	Profile	
6141	Track insert (uses screw 0798)		6143	Glider 6144 in strip form	
6784	Machine screw (for 6141 insert)				

Optional Accessories

Parts


0304	Fused barrel (36mm)		0318	Fused ball (36mm)	
0334	Maxi adjustable bracket		0710	Stud Endcap	
0989	Blok Bracket		2216	Cord	
6117	Track insert		6283	Roller glider	
6398	Clip		3135/2	Pole extension bracket (80mm - all colours)	
3136/2	Pole extension bracket (100mm - all colours)		6138p	Ceiling support set (3mm)	
0991CL	Shard Clear Metroflat		0991ET	Shard Etched Metroflat	

6100M

Wave Accessories

2216	Cord		2255	Adjustable brake	
3582	Hook		6007	Endstop	
6345	Wave glider cord (60mm)		6346	Wave glider cord (80mm)	
6349	Wave curtain heading tape		6363	Top hemming tape	
6364	Extension		6365	Hanger	

6366 Wave carrier for draw rod



6391 Hanger



6392 Heading film



6393 Glider




6395 Extension




6398 Clip



6399 Carrier for Draw rod




10075 Lead weight 50 gr/m



10076 Fabric weight



6098W Wave roller glider cord (80mm)



6100M



6100M

www.silentgliss.co.uk

www.silentglissglobal.com

Silent Gliss Ltd
Pyramid Business Park
Poorhole Lane
Broadstairs
Kent
CT10 2PT
Great Britain

Tel: +44 (0) 1843 863571
Fax: +44 (0) 1843 864503
info@silentgliss.co.uk

Silent Gliss Global Ltd
Pyramid Business Park
Poorhole Lane
Broadstairs
Kent
CT10 2PT
Great Britain

Tel: +44 (0) 1843 874250
Fax: +44 (0) 1843 874457
info@silentglissglobal.com