


























# Decorative Curtain Poles



# Application Chart


Specification	Dimensions		Operation	Application	Profile	Features / Options				Fitting Options		Fitting Surfaces		System		
	Weight Range	max. kg				Single Stack	Pair Stack	Profile Number	Dimensions in mm	Gliding Channel	Min. Bending Radius (mm)	Various Finials / Midials available	Intermediate Pulley available		Wave Glider Cord	Child Safety Device
 kg				● ●	1003		3.7	150	●				● ●	● ●	1003 M Metropole	
 kg				● ●	6101		5.4	200		●			● ●	● ●		6100 M Metroflat
 kg				● ●	6103		5.4	300	●		●		● ●	● ●		
 kg				● ●	0700		5.4	500	●		●		● ●	● ●		6140 M Metropole
 kg	6m	14kg		● ●	6106		5.4	300	●	●	●	●	● ●	● ●		
 kg	6m	14kg		● ●	0701		5.4	600	●		●	●	● ●	● ●		6160 M Metropole
 kg	10m			● ●	0360		5.4	—	●		●		● ●	● ●		

For full electric track specifications, please refer to Electric Track Systems Catalogue.

 Light-weight applications     
  Medium-weight applications     
  Heavy-duty applications

## Hand Operated Curtain Pole System

# Silent Gliss® 1003M Metropole 23mm




### Product Information

- Hand operated decorative curtain poles for domestic and contract applications
- Ideal for bay windows
- For light to medium weight curtains
- Made to measure
- Profile length 6m (chrome effect 3.95m)
- 7 different finishes - charcoal, silver, chrome effect, gunmetal, ecru, matt white and white
- Range of decorative finial designs in different styles and colours
- Wall fix or ceiling fix
- Unlike other poles, 1003 can be bent to a small radius for bay windows etc.



1003M

## Profile, Bending and Specification Information



1003




Standard radius 150mm

Specification Guide - download from [www.silentgliss.co.uk](http://www.silentgliss.co.uk) (password required).

Silent Gliss 1003 curtain track, hand drawn, aluminium, assembled complete with gliders 3533 at 16/m, 2 endcovers 0339 and 2 endstops 3070. Face fix with brackets 11206-208/11216-218/11209/0334. Top fix with 6138P/ 0335. Available in charcoal, matt white, white, silver, gunmetal, ecru and chrome effect.


## How To Measure



A: System Width - includes finials. See 'Design Options' for finial sizes.


## Design Options

### Endcaps



Without finials, poles are supplied as standard with flush fitting endcaps 0339 (left). Alternatively, stud endcaps 0706 (right) can be selected at no additional cost.


### Finials



Finials are decorative elements that fit at the end of the pole.



1003M



- A: 0985 Groove Ball 85mm
- B: 0628 Groove Cylinder 80mm
- C: 0993CL Shard (clear) 112mm
- D: 0993ET Shard (etched) 112mm
- E: 0884 Crystal Cube 33mm (green, black, brown)
- F: 0894 Crystal Cylinder 55mm (green, black, brown)
- G: 0308 Fused Barrel 90mm (walnut/oak/colour matched)
- H: 0321 Fused Ball 48mm (walnut/oak/colour matched)
- I: 0329 Glass Ball (clear/frosted) 45mm


Consult the Metropole brochure for full range details.

## Fitting Information

### Bracket positioning



### Fitting of track to brackets




- A: Using bracket sets 11206-11208/11216-218
- B: Using top fix plate 6138P
- C: Using top fix bracket 0335



1003M


### Fitting of bent poles




Note: all bent Metropole systems are supplied with adjustable bracket set 11209 as standard.

## Fitting Options

### Ceiling fix with support 6138P




	X (mm)
6138P	80




6138p  
Ceiling support set  
(3mm)

The final distances may be outside of the recommendation above depending on curtain make-up and any obstructions.

### Wall fix with adjustable Smart Fix bracket with slot 11209



	X (mm)
11209	80-100



11209  
Smart Fix with  
extension arm set




6141  
Track insert (uses  
screw 0798)


All bent Metropole poles are supplied with these adjustable bracket set 11209 as standard.

Brackets feature slot for screw M4x8


### Ceiling fix with top fix bracket 0335



	X (mm)
0335	50




0335  
Top fix bracket




6141  
Track insert (uses  
screw 0798)

1003M


### Wall fitting with Smart Fix with slot 11206-11208



	X (mm)
11206	33-51
11207	53-71
11208	73-91




11206-08  
Smart Fix with slot  
(60-100 mm)





6141  
Track insert (uses  
screw 0798)

Brackets feature slot for screw M4x8

## Wall fitting with Square Smart Fix with slot 11216-11218



	X (mm)
11216	33-51
11217	53-71
11218	73-91



Brackets feature slot for screw M4x8

### Standard Accessories

0339	Flush endcap (23mm)		1003	Profile	
3070	Twist eye endstop		3534	Glider 3533 in strip form	
6141	Track insert (uses screw 0798)		6784	Machine screw (for 6141 insert)	
11206	Smart Fix, 60 mm with slot set		11209	Smart Fix with extension arm set	


### Optional Accessories

0308	Fused barrel (23mm)		0321	Fused ball (23mm)		
0329	Glass ball (23mm)		0335	Top fix bracket		
0628	Groove Cylinder (23mm)		0706	Stud Endcap (23mm)		
0732	Hexagonal nut		0733	M6 washer for midial		
0884	Crystal cube (23mm pole)		0894	Crystal cylinder (23mm)		
0985	Groove Ball (23mm)		0989	Blok Bracket		
3582	Hook		10430	Draw rod with hook, 50cm		
10431	Draw rod with hook, 75cm		10432	Draw rod with hook, 100cm		
10433	Draw rod with hook, 125cm		10434	Draw rod with hook, 150cm		


11207 Smart Fix, 80 mm with slot set



11208 Smart Fix, 100 mm with slot set



11209 Smart Fix with extension arm set




11216 Square Smart Fix, 60 mm with slot set



11217 Square Smart Fix, 80 mm with slot set




11218 Square Smart Fix, 100 mm with slot set




6138p Ceiling support set (3mm)



0993CL Shard Clear (23mm)



0993ET Shard Etched (23mm)




1003M



## Hand Operated Curtain Pole System

# Silent Gliss® 6100M Metroflat 36mm




### Product Information

- Hand operated system for domestic and contract applications
- Attractive contemporary appearance for modern interiors
- Can be bent to a small radius for bay windows
- Available in 10 finishes - white, matt white, chrome effect, silver, black, slate grey, bronze, anodic grey, ecru and gunmetal
- Accessorised with endcaps or a range of finials
- Easy fitting to wall or ceiling
- For light to medium weight curtains
- Profile length 6m (chrome effect 3.95m)
- Suitable for Wave Standard curtain heading system



6100M


## Profile, Bending and Specification Information



### Specification Information - download from [www.silentgliss.co.uk](http://www.silentgliss.co.uk)


Silent Gliss 6100M curtain track, hand drawn, aluminium, assembled complete with gliders 6143 at 10/m and 2 endcovers 0351. Face Face fix with brackets 11206-208/11216-218/11209/0334/0989. Top fix with bracket 6138P/ 0335 at 700mm centres. Finished in white, matt white, black, silver, gunmetal, antique bronze, slate grey, ecru, anodic grey or chrome effect.

## How To Measure



A: System Width - includes finials. See 'Design Options' for finial sizes.

## Stack Size Calculation Wave



a = Stack depth  
b = Stack size  
c = Min. distance

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
6	10	2.1	10	23 per metre of track + endpiece	8
6	12	2.3	12	23 per metre of track + endpiece	9
8	14	2.1	14	18 per metre of track + endpiece	10
8	16	2.3	16	18 per metre of track + endpiece	11

### Wave standard with roller gliders


Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
8	14	2.1	14	21 per metre of track + endpiece	10
8	16	2.3	16	21 per metre of track + endpiece	11

(dimensions in cm)

Note: Minimum distance (c) includes a standard 3cm clearance (front and back).


## Design Options

### Endcaps




Without finials, poles are supplied as standard with flush fitting endcaps 0351 (left). Alternatively, stud endcaps 0710 (right) can be selected at no additional cost.

### Finials




Finials are decorative elements that fix to the end of the pole.



- A: 0991CL Shard (clear) 116mm
- B: 0991ET Shard (etched) 116mm
- C: Fused Barrel (walnut/oak/colour matched) 102mm
- D: Fused Ball (walnut/oak/colour matched) 63mm

Please consult the Metropole Brochure for full range details.

### Wave Standard curtain heading system



The Wave curtain heading system is an exciting contemporary curtain heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.

When using the Wave curtain heading system please note the maximum recommended curtain weight is 2.5kg/m or 10kg/m with wave roller glider 6098W.



6100M

The Wave standard components are:

- 6345 Glider Cord 60mm
- 6346 Glider Cord 80mm
- 6007 End stop


The items listed below for Enhanced Wave (80mm glider cord only) are all supplied at an additional cost as per the price list.

- 2255 Adjustable brake
- 6364 Extension (for use with 6365)
- 6365 Hanger (for use with 6364)
- 6366 Carrier for draw rod

Roller gliders must be ordered separately  
6098W Wave roller glider 80mm


Optional enhanced components to improve the presentation of the curtain>:

- 3582 Hook
- 6349 Curtain tape
- 6363 Iron-on top hemming tape
- 10075 Lead weight for bottom hem 50gr/m
- 10076 Fabric weight for side of curtain




## Fitting Information

### Bracket positioning




6100M

### Fitting of track to brackets



- A: Using bracket set 11206-11208/11216-218/11209
- B: Using Blok brackets 0989
- C: Using top fix plate 6138P
- D: Using top fix bracket 0335



## Fitting bent tracks.



Note: all bent Metropole systems are supplied with adjustable bracket set 11209 as standard.


## Fitting Options

### Wall fix with Blok brackets 0989




The final distances may be outside of the recommendations above depending on curtain heading, make-up and any obstructions.

### Ceiling fix with support 6138P




X (mm)  
80





6100M

The final distances may be outside of the recommendations above depending on curtain heading, make-up and any obstructions.

### Wall fix with adjustable Smartfix bracket 11209



X (mm)  
11209 80-100




Brackets feature slot for screw M4x8


The final distances may be outside of the recommendations above depending on curtain heading, make-up and any obstructions.

All bent Metroflat 36mm systems are supplied with adjustable bracket set 11209 as standard.


## Ceiling Fix with Top Fix Bracket 0335



	X
0334	80




0335  
Top fix bracket




6141  
Track insert (uses  
screw 0798)


## Wall fitting with Smart Fix with slot 11206-11208



	X (mm)
11206	33-51
11207	53-71
11208	73-91




11206-08  
Smart Fix with slot  
(60-100 mm)




6141  
Track insert (uses  
screw 0798)

Brackets feature slot for screw M4x8


## Wall fitting with Square Smart Fix with slot 11216-11218



	X (mm)
11216	33-51
11217	53-71
11218	73-91



11216-18  
Square Smart Fix  
with slot (60-100  
mm)



6117  
Track insert

Brackets feature slot for screw M4x8



6100M

## Standard Accessories

### Parts

0351	Metroflat end cap	
------	-------------------	--

6065	Twist eye endstop	
------	-------------------	--

6101	Profile	
------	---------	--

6141	Track insert (uses screw 0798)	
------	--------------------------------	--

6143	Glider 6144 in strip form	
------	---------------------------	--

6784	Machine screw (for 6141 insert)	
------	---------------------------------	--

11206	Smart Fix, 60 mm with slot set	
-------	--------------------------------	--

11209	Smart Fix with extension arm set	
-------	----------------------------------	--

## Optional Accessories

### Parts

0304	Fused barrel (36mm)		0318	Fused ball (36mm)	
0335	Top fix bracket		0710	Stud Endcap	
0989	Blok Bracket		2216	Cord	
6283	Roller glider		6398	Clip	
11207	Smart Fix, 80 mm with slot set		11208	Smart Fix, 100 mm with slot set	
11209	Smart Fix with extension arm set		11216	Square Smart Fix, 60 mm with slot set	
11217	Square Smart Fix, 80 mm with slot set		11218	Square Smart Fix, 100 mm with slot set	
6138p	Ceiling support set (3mm)		0991CL	Shard Clear Metroflat	
0991ET	Shard Etched Metroflat				

## Wave Accessories



6100M

2255	Adjustable brake		3582	Hook	
6007	Endstop		6345	Wave glider cord (60mm)	
6346	Wave glider cord (80mm)		6349	Wave curtain heading tape	
6363	Top hemming tape		6364	Extension	
6365	Hanger		6366	Wave carrier for draw rod	
10075	Lead weight 50 gr/m		10076	Fabric weight	
6098W	Wave roller glider cord (80mm)				




6100M



## Hand Operated Curtain Pole System

# Silent Gliss® 6130M Metropole 30mm




### Product Information

- Hand operated system for domestic and contract applications
- Unlike other poles, 6130 can be bent to a small radius for bay windows
- Choice of 15 different finishes - ecru, bronze, antique bronze, gunmetal, black, charcoal, anodic grey, slate grey, matt white, white, sand, ochre, chrome effect, anodised silver and taupe
- Metropole is available with a range of finials offering a contemporary or traditional finish
- Accessorised with matching end caps and co-ordinated or matching brackets/bracket covers
- Easy fitting to wall or ceiling
- For medium to heavy curtains
- Profile Length 6m (chrome effect 3.95m)
- Suitable for use with Wave Curtain heading systems



6130M

## Profile and Bending Information



6103




Standard radius 300mm

Specification Guide - download from [www.silentgliss.co.uk](http://www.silentgliss.co.uk) (password required).


Silent Gliss 6130 curtain track, hand drawn, aluminium, assembled complete with gliders 6143 at 10/m and 2 endcovers 0346. Face fix with brackets 11206-208/11216-218/11209/0674/0334, top fix with bracket 6138P/0335 each screwed to timber/plugged and screwed to block-work/concrete at 600mm centres. Finished in ecru, bronze, antique bronze, gunmetal, black, charcoal, anodic grey, slate grey, matt white, white, sand, ochre, chrome effect, anodised silver or taupe

## How To Measure




A: System Width - includes finials. See 'Design Options' for finial sizes.

## Stack Size Calculation Wave



6130M



a = Stack depth  
b = Stack size  
c = Min. distance

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
6	10	2.1	10	23 per metre of track + endpiece	8
6	12	2.3	12	23 per metre of track + endpiece	9
8	14	2.1	14	18 per metre of track + endpiece	10
8	16	2.3	16	18 per metre of track + endpiece	11

### Wave standard with roller gliders


Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
8	14	2.1	14	21 per metre of track + endpiece	10
8	16	2.3	16	21 per metre of track + endpiece	11

(dimensions in cm)

Note: Minimum distance (c) includes a standard 3cm clearance (front and back).


## Design Options

### Endaps




Without finials, poles are supplied as standard with flush fitting endcaps 0346 (left). Alternatively, stud endcaps 0707 (right) can be selected at no additional cost.

### Finials



Finials are decorative elements that fit on at the end of the pole.

Please refer to the Metropole brochure for full range details.




- A: 0873 Design Endcap 20mm
- B: 0556 Ball End 70mm
- C: 0719 Spear 135mm
- D: 0986 Groove Ball 85mm
- E: 0629 Groove Cylinder 85mm
- F: 0901 Strata 65mm
- G: 0886 Crystal Cube 55mm
- H: 0896 Crystal Cylinder 55mm
- I: 0995CL Shard Clear 127mm
- J: 0995ET Shard Etched 127mm
- K: 0311 Fused Barrel 102mm (walnut/oak/matched)
- L: 0324 Fused Ball 60mm (walnut/oak/matched)
- M: 0331 Glass Ball (clear/frosted) 55mm



6130M

### Wave Standard curtain heading system



Wave Standard is an exciting contemporary curtain heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.

When using the Wave curtain heading system please note the maximum recommended curtain weight is 2.5kg/m or 10kg/m with wave roller glider 6098W.

The Wave standard components are:

- 6345 Glider Cord 60mm
- 6346 Glider Cord 80mm
- 6007 End stop


The items listed below for Enhanced Wave (80mm glider cord only) are all supplied at an additional cost as per the price list.

- 2255 Adjustable brake
- 6364 Extension (for use with 6365)
- 6365 Hanger (for use with 6364)
- 6366 Carrier for draw rod

Roller gliders must be ordered separately  
6098W Wave roller glider 80mm


Optional enhanced components to improve the presentation of the curtain:

- 3582 Hook
- 6349 Curtain tape
- 6363 Iron-on top hemming tape
- 10075 Lead weight for bottom hem 50gr/m
- 10076 Fabric weight for side of curtain




## Fitting Information

### Bracket positioning




6130M

### Fitting of tracks to brackets



- A: Using bracket sets 11206-11208/11216-11218/11209
- B: Using pillar bracket 0674
- C: Using top fix plates 6138p/6138p2
- D: Using top fix bracket 0335
- E: Using maxi bracket 0334


## Fitting bent tracks




Note: all bent Metropole systems are supplied with adjustable bracket set 11209 as standard.

## Fitting Options

### Ceiling fix with support 6138P




X (mm)  
80




6138p  
Ceiling support set  
(3mm)

The final distances may be outside of the recommendations above depending on curtain make-up and any obstructions.


### Wall fix with adjustable Smartfix bracket 11209



X (mm)  
11209 80-100



11209  
Smart Fix with  
extension arm set




6141  
Track insert (uses  
screw 0798)


Note: all bent Metropole systems are supplied with adjustable bracket set 11209 as standard.

Brackets feature slot for screw M4x8


### Wall fix with Pillar bracket 0674



X (mm)  
0674 90



0674  
Pillar bracket (30 mm  
poles only)




6141  
Track insert (uses  
screw 0798)





6130M


### Ceiling fix with top fix bracket 0335




	X (mm)
0335	50




### Wall fix with maxi adjustable bracket 0334




	X (mm)	Y (mm)
0334	80	100



### Wall fitting with Smart Fix with slot 11206-11208



	X (mm)
11206	33-51
11207	53-71
11208	73-91




Brackets feature slot for screw M4x8





6130M

### Wall fitting with Square Smart Fix with slot 11216-11218



	X (mm)
11216	33-51
11217	53-71
11218	73-91



Brackets feature slot for screw M4x8

## Standard Accessories

### Parts

0346 Flush endcap (30mm)



6065 Twist eye endstop






6103 Profile








6141 Track insert (uses screw 0798)



6143	Glider 6144 in strip form		6784	Machine screw (for 6141 insert)	
11206	Smart Fix, 60 mm with slot set		11209	Smart Fix with extension arm set	

## Optional Accessories

### Parts

0311	Fused barrel (30mm)		0324	Fused ball (30mm)	
0331	Glass ball (30mm)		0334	Maxi adjustable bracket	
0335	Top fix bracket		0556	Ball end finial (30 mm)	
0629	Groove Cylinder (30mm)		0674	Pillar bracket (30 mm poles only)	
0707	End cover (30mm)		0719	Spear finial	
0770	Finial connecting bracket		0873	Design Endcap 30mm	
0886	Crystal cube (30mm pole)		0896	Crystal cylinder (30mm)	
0901	Strata (30mm)		0986	Groove Ball (30mm)	
6283	Roller glider		6635	Internal connecting bridge assembly	
11207	Smart Fix, 80 mm with slot set		11208	Smart Fix, 100 mm with slot set	
11209	Smart Fix with extension arm set		11216	Square Smart Fix, 60 mm with slot set	
11217	Square Smart Fix, 80 mm with slot set		11218	Square Smart Fix, 100 mm with slot set	
6138p	Ceiling support set (3mm)		0995CL	Shard Clear (30mm)	
0995ET	Shard Etched (30mm)				

6130M

## Wave Accessories

3582	Hook		6007	Endstop	
6345	Wave glider cord (60mm)		6346	Wave glider cord (80mm)	
6349	Curtain tape		6363	Top hemming tape	
6364	Extension		6365	Hanger	
6366	Wave carrier for draw rod		10075	Lead weight 50 gr/m	
10076	Fabric weight		6098W	Wave roller glider cord (80mm)	




6130M



## Hand Operated Curtain Pole System

# Silent Gliss® 6140M Metropole 50mm




### Product Information

- Hand operated system for domestic and contract applications
- Can be bent for bay windows
- Choice of 9 different finishes - black, white, matt white, ecru, slate grey, antique bronze, silver, anodic grey and taupe
- Accessorised with matching end caps brackets
- A selection of finials are available
- Easy wall or ceiling fix
- For medium to heavy curtains
- Suitable for use with Wave curtain heading system



6140M


## Profile and Bending Information



### Specification Guide - download [www.silentgliss.co.uk](http://www.silentgliss.co.uk) (password required)

Silent Gliss 6140M curtain track, hand drawn, aluminium, assembled complete with gliders 6143 at 10/m and 2 endcovers 0350. Face fix with brackets 11206-208/11216-218/11209/0334/ceiling fix with bracket 6138P2/0335 each screwed to timber /plugged and screwed to block-work/concrete at 600mm centres. Finished in black, white, matt white, ecru, slate grey, antique bronze, taupe, silver, anodic grey or taupe.



## How To Measure



A: System Width - includes finials. See 'Design Options' for finial sizes.

## Stack Size Calculation Wave Standard

6140M



a = Stack depth  
b = Stack size  
c = Min. distance

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
6	10	2.1	10	23 per metre of track + endpiece	8
6	12	2.3	12	23 per metre of track + endpiece	9
8	14	2.1	14	18 per metre of track + endpiece	10
8	16	2.3	16	18 per metre of track + endpiece	11

### Wave standard with roller gliders


Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
8	14	2.1	14	21 per metre of track + endpiece	10
8	16	2.3	16	21 per metre of track + endpiece	11

(dimensions in cm)

Note: Minimum distance (c) includes a standard 3cm clearance (front and back).


## Design Options

### Endcaps




Without finials, poles are supplied as standard with flush fitting endcaps 0350 (left). Alternatively, stud endcaps 0714 (right) can be selected at no additional cost.

### Finials



Finials are decorative elements that fit on at the end of the pole.




- A: 0717 Ball End 125mm
- B: 0718 Real Wood Spear 150mm
- C: 0697 Strata 65mm
- D: 0630 Groove Cylinder 125mm
- E: 0898 Crystal Cube 55mm
- F: 0899 Crystal Cylinder 55mm
- G: Fused Barrel 121mm (walnut/oak/matched)
- H: Fused Ball 81mm (walnut/oak/matched)
- I: Glass Ball (clear/frosted) 70mm



6140M

### Wave Standard curtain heading system



Wave is an exciting contemporary curtain heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.

When using the Wave curtain heading system please note the maximum recommended curtain weight is 2.5kg/m or 10kg/m with wave roller gliders 6098W.

The Wave standard components are:

- 6345 Glider Cord 60mm
- 6346 Glider Cord 80mm
- 6007 End stop


The items listed below for Enhanced Wave (80mm glider cord only) are all supplied at an additional cost as per the price list.

- 2255 Adjustable brake
- 6364 Extension (for use with 6365)
- 6365 Hanger (for use with 6364)
- 6366 Carrier for draw rod


Roller gliders must be ordered separately  
6098W Wave roller glider 80mm

Optional enhanced components to improve the presentation of the curtain:

- 3582 Hook
- 6349 Curtain tape
- 6363 Iron-on top hemming tape
- 10075 Lead weight for bottom hem 50gr/m
- 10076 Fabric weight for side of curtain



## Connecting Profiles




Profiles can be joined with Connecting Bridge 0273.


6140M

## Fitting Information

### Bracket positioning



## Fitting of track to bracket




- A: Using adjustable bracket set 11209
- B: Using ceiling fix bracket 6138p
- C: Using top fix bracket 0335
- D: Using maxi adjustable bracket 0334


All 50mm Metropole are supplied with Maxi bracket 0334 as standard unless otherwise specified.

## Fitting Options


### Wall fix with Smart Fix adjustable brackets 11209



	X (mm)
11209	80-100



11209  
Smart Fix with  
extension arm set




6141  
Track insert (uses  
screw 0798)




6140M

### Ceiling fix with 6138P2




	X (mm)
6138P2	80





6138P2  
Ceiling support set  
(9mm)


## Ceiling fix with top fix bracket 0335




X (mm)  
50




## Wall fix with maxi adjustable bracket 0334




	X (mm)	Y (mm)
0334	80	100



## Wall fitting with Smart Fix with slot 11206-11208




	X (mm)
11206	33-51
11207	53-71
11208	73-91





## Wall fitting with Square Smart Fix with slot 11216-11218

6140M



	X (mm)
11216	33-51
11217	53-71
11218	73-91



## Standard Accessories

### Parts

0334 Maxi adjustable bracket



0350 Flush endcap (50mm)



0700 Profile 50mm



6065 Twist eye endstop



6141 Track insert (uses screw 0798)








6143 Glider 6144 in strip form



## Optional Accessories














### Parts

0273	Connecting Bridge for System 6140		0315	Fused barrel (50mm)	
0327	Fused ball (50mm)		0333	Glass ball (50mm)	
0335	Top fix bracket		0630	Groove Cylinder (50mm)	
0697	Strata (50mm)		0714	Stud End cap (50mm)	
0717	Ball end finial (50mm pole)		0718	Spear finial (50mm pole)	
0898	Crystal Square (50mm)		0899	Crystal Cylinder (50mm)	
6283	Roller glider		11206	Smart Fix, 60 mm with slot set	
11207	Smart Fix, 80 mm with slot set		11208	Smart Fix, 100 mm with slot set	
11209	Smart Fix with extension arm set		11216	Square Smart Fix, 60 mm with slot set	
11217	Square Smart Fix, 80 mm with slot set		11218	Square Smart Fix, 100 mm with slot set	
6138P2	Ceiling support set (9mm)				



6140M

## Wave Accessories

2255	Adjustable brake		3582	Hook	
6007	Endstop		6345	Wave glider cord (60mm)	
6346	Wave glider cord (80mm)		6349	Curtain tape	
6363	Top hemming tape		6364	Extension	
6365	Hanger		6366	Wave carrier for draw rod	
10075	Lead weight 50 gr/m		10076	Fabric weight	
6098W	Wave roller glider cord (80mm)				




6140M



## Cord Operated Curtain Pole System

# Silent Gliss® 6120M Metropole 30mm




### Product Information

- Cord operated system for domestic and contract applications
- 6120 can be bent to a small radius for bay windows etc
- For light to medium weight curtains
- Made to measure
- Profile length 6m (chrome effect 4m)
- Choice of 14 different finishes - ecru, bronze, antique bronze, chrome effect, gunmetal, black, white, matt white, slate grey, sand, taupe, charcoal and ochre
- Wide range of finials in contemporary or traditional styles
- Easy wall or ceiling fix
- Suitable for use with Wave Standard curtain heading system



6120M

## Profile, Bending and Specification Information



6106




Standard radius 300mm

Specification Information - for download refer to [www.silentgliss.co.uk](http://www.silentgliss.co.uk) (password required).


Silent Gliss 6120 curtain track, cord drawn, aluminium, assembled complete with gliders 6143 at 10/m. Metal overlap arm 6003, pulley set cord set 0340, end caps 0346, cord 3091, pilot 6534 and endstops 6065. Face fix with bracket 11206-11208/11216-11218/11209/0674/0334/ top fix with bracket 0335/6138P2/ 6138P6 each screwed to timber/plugged and screwed to block/concrete at 600mm centres. Finished in ecru, bronze, antique bronze, chrome effect, gunmetal, black, white, matt white, slate grey, sand, taupe, charcoal or ochre.

## How To Measure



A: system width  
B: cord height

## Stack Size Calculation Wave Standard



a = Stack depth  
b = Stack size  
c = Min. distance

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
6	10	2.1	10	23 per metre of track + endpiece	8
6	12	2.3	12	23 per metre of track + endpiece	9
8	14	2.1	14	18 per metre of track + endpiece	10
8	16	2.3	16	18 per metre of track + endpiece	11

### Wave standard with roller gliders

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
8	14	2.1	14	21 per metre of track + endpiece	10
8	16	2.3	16	21 per metre of track + endpiece	11

(dimensions in cm)

Note: Minimum distance (c) allows a standard 3cm clearance (front and back).

## System Dimensions

## Maximum curtain weights

Standard Application with Glider							Standard Application with Roller/ Wave Roller						
	1 m	2 m	3 m	4 m	5 m	6 m		1 m	2 m	3 m	4 m	5 m	6 m
	9	9	8	8	7	7		12	11	11	11	10	10
	10	10	9	9	8	8		13	13	12	11	11	10
	7	7	6	6	5	5		9	8	8	8	7	7
	8	8	7	7	6	6		10	9	9	9	8	8
	4	4	3	3	2	2		6	5	5	5	4	4
	5	5	4	4	3	3		7	6	6	6	5	5
	3	3	2	2	1	1		5	4	4	4	3	3
	4	4	3	3	2	2		6	5	5	5	4	4

(kg max.)


(kg max.)

## Wave maximum curtain weights

Maximum curtain weight when using Wave curtain heading is 2.5kg/m unless the weight in above table is less in which case follow table. A greater weight may be achieved using wave roller glider 6098W (refer to table above right).

## Design Options

### Endcaps




Without finials, poles are supplied as standard with flush fitting endcaps 0346 (left). Alternatively, stud endcaps 0707 (right) can be selected at no additional cost.




6120M

### Finials




Finials are decorative elements that fit on the end of the pole.



- A: 0873 Design Endcap 20mm
- B: 0556 Ball End 70mm
- C: 0719 Spear 135mm
- D: 0986 Groove Ball 85mm
- E: 0629 Groove Cylinder 85mm
- F: 0901 Strata 65mm
- G: 0886 Crystal Cube 55mm
- H: 0896 Crystal Cylinder 55mm
- I: 0995CL Shard Clear 127mm
- J: 0995ET Shard Etched 127mm
- K: 0311 Fused Barrel 102mm (walnut/oak/matched)
- L: 0324 Fused Ball 60mm (walnut/oak/matched)
- M: 0331 Glass Ball (clear/frosted) 55mm

## Wave Standard curtain heading system



Wave Standard is an exciting new contemporary curtain heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.

When using the Wave curtain heading system please note the maximum recommended curtain weight is 2.5kg/m. A greater weight may be achieved using wave roller glider 6098W (refer to System Dimensions).

The Wave standard components are:

- 6345 Glider Cord 60mm
- 6346 Glider Cord 80mm
- 6007 End stop

The items listed below for Enhanced Wave (80mm glider cord only) are all supplied at an additional cost as per the price list.


- 2255 Adjustable brake
- 6364 Extension (for use with 6365)
- 6365 Hanger (for use with 6364)
- 6366 Carrier for draw rod

Roller gliders must be ordered separately  
6098W Wave roller glider 80mm

Optional enhanced components to improve the presentation of the curtain:

- 3582 Hook
- 6349 Curtain tape
- 6363 Iron-on top hemming tape
- 10075 Lead weight for bottom hem 50gr/m
- 10076 Fabric weight for side of curtain

6120M




## Fitting Information

### WARNING


Young children can be strangled by loops in pullcords, chains, tapes and inner cords that operate the product. To avoid strangulation and entanglement, keep cords out of the reach of young children. Cords may become wrapped around a child's neck. Move beds, cots and furniture away from window covering cords. Do not tie cords together. Make sure cords do not twist to create a loop.

### Bracket positioning



An additional bracket may be required near the 'cord-end' of the system if the system is carrying very heavy curtains.

### Fitting of track to brackets




- A: Using bracket sets 11206-11208/11216-11218/11209
- B: Using pillar bracket 0674
- C: Using ceiling support 6138P
- D: Using top fix bracket 0335
- E: Using maxi adjustable bracket 0334



6120M


### Fitting bent tracks




Note: all bent Metropole systems are supplied with adjustable brackets 11209 as standard.

## Fitting Options


### Wall fix with adjustable Smart Fix bracket 11209



	X (mm)
11209	80-100



11209  
Smart Fix with  
extension arm set




6141  
Track insert (uses  
screw 0798)


Note: all bent Metropole systems are supplied with adjustable brackets 11209 as standard.

Brackets feature slot for screw M4x8


### Wall fix with Pillar bracket 0674



	x (mm)
0674	90




0674  
Pillar bracket (30 mm  
poles only)




6141  
Track insert (uses  
screw 0798)

### Ceiling fix with support 6138P



	X (mm)
6138P	80




6138p  
Ceiling support set  
(3mm)


6120M

The final distances may be outside of the recommendations above depending on curtain make-up and any obstructions.

### Ceiling fix with support 6138P2




	X (mm)
6138P2	80




6138P2  
Ceiling support set  
(9mm)

The minimum distance of 'x' will be 45mm (equal to the length of the bracket) but the actual distance will depend on the curtain make-up and any obstructions.

### Ceiling fix with support 6138P6




	X (mm)
6138P6	9




6138p6  
Ceiling support set  
(6mm)

The final distances may be outside of the recommendations above depending on curtain make-up and any obstructions.


### Ceiling fix with top fix bracket 0335



	X (mm)
0335	50




0335  
Top fix bracket




6141  
Track insert (uses  
screw 0798)


### Wall fix with maxi adjustable bracket 0334



	X (mm)	Y (mm)
0334	80	100



0334  
Maxi adjustable  
bracket




6141  
Track insert (uses  
screw 0798)




6120M

### Wall fitting with Smart Fix with slot 11206-11208




	X(mm)
11206	33-51
11207	53-71
11208	73-91





6141  
Track insert (uses  
screw 0798)

Brackets feature slot for screw M4x8

## Wall fitting with Square Smart Fix with slot 11216-11218



	X (mm)
11216	33-51
11217	53-71
11218	73-91



Brackets feature slot for screw M4x8

## Standard Accessories

0340	Cording set (30mm)		0346	Flush endcap (30mm)	
3091	Cord		6063	Metal overlap arm	
6065	Twist eye endstop		6106	Profile	
6141	Track insert (uses screw 0798)		6143	Glider 6144 in strip form	
6784	Machine screw (for 6141 insert)		10400	Safety Cord Retainer	
11206	Smart Fix, 60 mm with slot set		11209	Smart Fix with extension arm set	

6120M

## Optional Accessories

### Single Parts

0311	Fused barrel (30mm)		0311	Fused barrel (30mm)	
0324	Fused ball (30mm)		0331	Glass ball (30mm)	
0334	Maxi adjustable bracket		0335	Top fix bracket	
0556	Ball end finial (30 mm)		0629	Groove Cylinder (30mm)	
0674	Pillar bracket (30 mm poles only)		0707	End cover (30mm)	
0719	Spear finial		0770	Finial connecting bracket	



0886	Crystal cube (30mm pole)		0901	Strata (30mm)	
0986	Groove Ball (30mm)		6063	Metal overlap arm	
6283	Roller glider		11207	Smart Fix, 80 mm with slot set	
11208	Smart Fix, 100 mm with slot set		11216	Square Smart Fix, 60 mm with slot set	
11217	Square Smart Fix, 80 mm with slot set		11218	Square Smart Fix, 100 mm with slot set	
6138P2	Ceiling support set (9mm)		6138p6	Ceiling support set (6mm)	
6138p	Ceiling support set (3mm)				

### Sets

6165	Intermediate pulley, containing		0708	Intermediate pulley cover	1	
			3810	Pulley	2	
			6103	Profile	1	
			6164	Clamping piece	1	
			6169	Holder	1	

6120M


### Wave Accessories

2216	Cord		3582	Hook	
6007	Endstop		6315	Pilot runner	
6345	Wave glider cord (60mm)		6346	Wave glider cord (80mm)	
6349	Wave curtain heading tape		6363	Top hemming tape	
6364	Extension		6365	Hanger	

6383 Limit stop



10075 Lead weight 50 gr/m



10076 Fabric weight




6098W Wave roller glider cord (80mm)



## Useful measurements


6063 Metal overlap arm



6120M

## Cord Operated Curtain Pole System

# Silent Gliss® 6160M Metropole




### Product Information

- Cord operated system for domestic and contract applications
- 6160M can be bent for bay windows etc
- For light to medium weight curtains
- Made to measure
- Choice of 8 different finishes - anodic grey, black, white, matt white, ecru, slate grey, taupe and antique bronze
- Accessorised with matching endsets and brackets
- A selection of finials are available
- Easy fit with wall and ceiling brackets
- Suitable for use with Wave Standard curtain heading system
- Maximum profile length 6m



6160M


## Profile, Bending and Specification Information



**Specification Information - for download refer to [www.silentgliss.co.uk](http://www.silentgliss.co.uk) (password required).**



Silent Gliss 6160M curtain track, cord drawn, aluminium, assembled with gliders 6143 10/m. Metal overlap arm 6003, cord set 0347, cord 3091, end caps 0350, pilot 6534 and endstops 6065. Face fix with bracket 0537/ 3134/2-36/2/ 0334/top fix with bracket 6138P2/ 0335 each screwed to timber/plugged and screwed to block/concrete at 600mm centres. Finished in anodized grey, black, white, matt white, ecru, slate grey, taupe or antique bronze.

## How to Measure



## Stack size calculation Wave Standard

6160M



a = Stack depth  
b = Stack size  
c = Min. distance

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
6	10	2.1	10	23 per metre of track + endpiece	8
6	12	2.3	12	23 per metre of track + endpiece	9
8	14	2.1	14	18 per metre of track + endpiece	10
8	16	2.3	16	18 per metre of track + endpiece	11

### Wave standard with roller gliders

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
8	14	2.1	14	21 per metre of track + endpiece	10
8	16	2.3	16	21 per metre of track + endpiece	11

(dimensions in cm)

Note: Minimum distance (c) allows a standard 3cm clearance (front and back).

## System Dimensions

### Maximum curtain weights

Standard Application with Glider							Standard Application with Roller/ Wave Roller						
	1 m	2 m	3 m	4 m	5 m	6 m		1 m	2 m	3 m	4 m	5 m	6 m
	9	9	8	8	7	7		12	11	11	11	10	10
	10	10	9	9	8	8		13	13	12	11	11	10
	7	7	6	6	5	5		9	8	8	8	7	7
	8	8	7	7	6	6		10	9	9	9	8	8
	4	4	3	3	2	2		6	5	5	5	4	4
	5	5	4	4	3	3		7	6	6	6	5	5
	3	3	2	2	1	1		5	4	4	4	3	3
	4	4	3	3	2	2		6	5	5	5	4	4


(kg max.)

### Wave maximum curtain weights

Maximum curtain weight when using Wave curtain heading is 2.5kg/m unless the weight in the above left table is less in which case follow table. A greater weight may be achieved using wave roller glider 6098W (refer to table above right).

## Design Options

### Endcaps




Without finials, poles are supplied as standard with flush fitting endcaps 0350 (left). Alternatively, stud endcaps 0714 (right) can be selected at no additional cost.




6160M

### Finials




Finials are decorative elements that fit on at the end of the pole.



- A: 0717 Ball End 125mm
- B: 0718 Real Wood Spear 150mm
- C: 0697 Strata 65mm
- D: 0630 Groove Cylinder 125mm
- E: 0898 Crystal Cube 55mm
- F: 0899 Crystal Cylinder 55mm
- G: Fused Barrel 121mm (walnut/oak/matched)
- H: Fused Ball 81mm (walnut/oak/matched)
- I: Glass Ball (clear/frosted) 70mm

Please refer to the Metropole brochure for full range details.

### Wave Standard curtain heading system



Wave Standard is an exciting new contemporary heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.

When using the Wave curtain heading system please note the maximum recommended curtain weight is 2.5kg/m. A greater weight may be achieved using wave roller glider 6098W (refer to 'System Dimensions').

The Wave standard components are:

- 6345 Glider Cord 60mm
- 6346 Glider Cord 80mm
- 6007 End stop


The items listed below for Enhanced Wave (80mm glider cord only) are all supplied at an additional cost as per the price list.

- 2255 Adjustable brake
- 6364 Extension (for use with 6365)
- 6365 Hanger (for use with 6364)
- 6366 Carrier for draw rod

Roller gliders must be ordered separately  
6098W Wave roller glider 80mm

Optional enhanced components to improve the presentation of the curtain:

- 3582 Hook
- 6349 Curtain tape
- 6363 Iron-on top hemming tape
- 10075 Lead weight for bottom hem 50gr/m
- 10076 Fabric weight for side of curtain




## Fitting Information

### WARNING


Young children can be strangled by loops in pullcords, chains, tapes and inner cords that operate the product. To avoid strangulation and entanglement, keep cords out of the reach of young children. Cords may become wrapped around a child's neck. Move beds, cots and furniture away from window covering cords. Do not tie cords together. Make sure cords do not twist to create a loop.

### Bracket positioning



An additional bracket may be required near the 'cord-end' of the system if the system is carrying very heavy curtains.

### Fitting of track to bracket



- A: Using adjustable bracket set 11209
- B: Using ceiling support 6138P
- C: Using top fix bracket 0335
- D: Using maxi adjustable bracket 0334


All 50mm Metropole are supplied with Maxi bracket 0334 as standard unless otherwise specified.




6160M

## Fitting Options


### Wall fix with adjustable brackets 11209



	X (mm)
11209	80-100




11209  
Smart Fix with  
extension arm set




6141  
Track insert (uses  
screw 0798)

### Wall fix with Smart Fix 11206-11208




	X (mm)
11206	33-51
11207	53-71
11208	73-91

11206  
Smart Fix, 60 mm  
with slot set




Brackets feature slot for screw M4x8

### Ceiling fix with 6138P2




	X (mm)
6138P2	80





6138P2  
Ceiling support set  
(9mm)

The final distances may be outside of the recommendations above depending on curtain make-up and any obstructions.

### Ceiling fix with top fix bracket 0335




	X (mm)
0335	50




6160M

The final distances may be outside of the recommendations above depending on curtain make-up and any obstructions.

### Wall fix with maxi adjustable bracket 0334






X (mm)	Y (mm)
80	100








## Ceiling fix with top fix bracket 0335



## Wall fitting with Square Smart Fix with slot 11216-11218



	X (mm)
11216	33-51
11217	53-71
11218	73-91



Brackets feature slot for screw M4x8

## Standard Accessories

### Parts

0334	Maxi adjustable bracket		0347	Cording set (50mm)	
0350	Flush endcap (50mm)		0701	Profile 50mm (corded)	
3091	Cord		6065	Twist eye endstop	
6143	Glider 6144 in strip form		6784	Machine screw (for 6141 insert)	
10400	Safety Cord Retainer				

6160M

## Optional Accessories

### Parts

0315	Fused barrel (50mm)		0327	Fused ball (50mm)	
0335	Top fix bracket		0630	Groove Cylinder (50mm)	

0630	Groove Cylinder (50mm)		0697	Strata (50mm)	
0717	Ball end finial (50mm pole)		0717	Ball end finial (50mm pole)	
0718	Spear finial (50mm pole)		0898	Crystal Square (50mm)	
0898	Crystal Square (50mm)		0899	Crystal Cylinder (50mm)	
0899	Crystal Cylinder (50mm)		6007	Endstop	
6283	Roller glider		11206	Smart Fix, 60 mm with slot set	
11207	Smart Fix, 80 mm with slot set		11208	Smart Fix, 100 mm with slot set	
11209	Smart Fix with extension arm set		11216	Square Smart Fix, 60 mm with slot set	
11217	Square Smart Fix, 80 mm with slot set		11218	Square Smart Fix, 100 mm with slot set	
6138P2	Ceiling support set (9mm)				











## Sets

6160M


0646	Intermediate pulley, containing:		0700	Profile 50mm	1	
			0645	Intermediate pulley cover	1	
			3810	Pulley	2	
			6164	Clamping piece	1	
			6169	Holder	1	

## Wave Accessories

2216	Cord		3582	Hook	
6007	Endstop		6315	Pilot runner	

6345	Wave glider cord (60mm)		6346	Wave glider cord (80mm)	
6349	Curtain tape		6363	Top hemming tape	
6364	Extension		6365	Hanger	
6383	Limit stop		10075	Lead weight 50 gr/m	
10076	Fabric weight		6098W	Wave roller glider cord (80mm)	

## Useful Measurements

6063	Metal overlap arm	
------	-------------------	---


  
6160M



6160M

## Motorised Curtain Pole System

# Silent Gliss® 6150M Metropole 50mm



### Product Information


- Electrically operated system for domestic and contract applications
- Choice of 9 different finishes - black, white, matt white, ecru, slate grey, antique bronze, taupe, anodic grey and silver
- Accessorised with matching end caps or finials
- Easy fitting to wall and ceiling
- Maximum curtain weight dependant on motorised system selection
- Suitable for use with Wave Standard curtain heading system
- Max pole length 5m/10m dependant on motorised system selection
- Available with 2 motor options with various operating methods



6150M

## Profile Information

### Metropole Fascia Profile




0360



Cannot be bent.

### System 5600 Profile




10850



Cannot be bent.

### System 5100 Autoglide Profile



10925



Cannot be bent.

### Specification Guide - download from [www.silentgliss.co.uk](http://www.silentgliss.co.uk) (password required)


Silent Gliss 6150M curtain track, electrically operated, aluminium, assembled complete with gliders 6098/6143 and 2 endcovers 0350. Face fix with brackets 11206-208/11216-218/11209/0334/ top fix with bracket 6138P2/ 0335 each screwed to timber/plugged and screwed to block-work/concrete at 1000mm centres. Finished in black, white, matt white, ecru, slate grey, antique bronze, taupe, anodic grey or silver. Refer to table for motor colour see Motor Options in this catalogue.

## How To Measure




### Profile Cross Section


6150M



6150 with System 5100 Autoglide




6150 with System 5600




A: System Width - Important: please indicate when ordering whether your system width Includes (I) or Excludes (E) the finials.

### Stack Size Calculation Wave Standard

#### Wave standard



Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
6	10	2.1	10	23 per metre of track + endpiece	8
6	12	2.3	12	23 per metre of track + endpiece	9
8	14	2.1	14	18 per metre of track + endpiece	10
8	16	2.3	16	18 per metre of track + endpiece	11



#### Wave standard with roller gliders

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
8	14	2.1	14	21 per metre of track + endpiece	10
8	16	2.3	16	21 per metre of track + endpiece	11

a = Stack depth  
b = Stack size  
c = Min. distance

(dimensions in cm)

Note: Minimum distance (c) includes a standard 3cm clearance (front and back).

All weight calculations are based on underslung curtains. Headings above the glider channel are not recommended.



6150M

## System Dimensions


### Maximum Curtain Weight Chart

	Application with Rollers		Application with Rollers and Wave Rollers				
	5100	3 m	5 m	5600	2 m	4 m	6 m
		20	25		25	45	45
		20	25		25	45	45

Note: Maximum recommended curtain weight for Wave curtain heading system is 2.5kg per metre unless using optional wave roller gliders


## Design Options

### Endcaps




Without finials, poles are supplied as standard with flush fitting endcaps 0350 (left). Alternatively, stud endcaps 0714 (right) can be selected at no additional cost.

### Finials




Finials are decorative elements that fit on at the end of the pole.



- A: 0717 Ball End 125mm
- B: 0718 Real Wood Spear 150mm
- C: 0697 Strata 65mm
- D: 0630 Groove Cylinder 125mm
- E: 0898 Crystal Cube 55mm
- F: 0899 Crystal Cylinder 55mm
- G: 0315 Fused Barrel 121mm (walnut/oak/matched)
- H: 0327 Fused Ball 81mm (walnut/oak/matched)
- I: 0333 Glass Ball (clear/frosted) 70mm



### Wave Standard curtain heading system




Wave is an exciting contemporary curtain heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.

When using the Wave curtain heading system please note the maximum recommended curtain weight is 2.5kg/m. A greater weight may be achieved using wave roller glider 6098W (refer to System Dimensions).

Wave is available on System 6150 when using both System 5100 Autoglide and System 5600.



## Wave parts - when using System 5100 Autoglide



- 10822 Master carrier set
- 10823 Belt connector arm
- 10824 Belt connector pin
- 10845 Wave master carrier, single stack
- 10854 Wave overlap arm support
- 10856 Wave glider cord, belt return
- 10867 Panhead screw
- 10887 Wave overlap arm set
- 10905 Wave glider cord (80mm)
- 10906 Wave glider cord (60mm)
- 10924 Wave glider support
- 10945 End stop

The following parts are supplied as standard when Silent Gliss curtains are supplied with the system. If only the track is supplied these are available at an extra cost:


- 6349 Curtain tape
- 3582 Hook
- 6363 Iron tape
- 10075 Lead weight 50gr/m
- 10076 Fabric weight

Notes:  
Single stack 60mm Wave is not recommended.



6150M

## Wave - using System 5600



- 10822 Master carrier set
- 10823 Belt connector arm
- 10824 Belt connector pin
- 10838 Pilot runner set
- 10844 Motor end stop
- 10845 Wave master carrier, single stack 80mm
- 10852 Wave roller cord (80mm)
- 10854 Wave overlap arm support
- 10856 Wave end stop, belt return
- 10867 Panhead screw
- 10869 Wave roller cord (60mm)
- 10886 Wave overlap arm, pilot runner
- 10887 Wave overlap arm set
- 10905 Wave glider cord (80 mm)
- 10906 Wave glider cord (60 mm)
- 10924 Wave glider support

The following parts are supplied as standard when Silent Gliss curtains are supplied with the system. For hardware only orders these are available at extra cost:

- 10075 Lead weight 50gr/m
- 10076 Fabric weight
- 3582 Hook
- 6349 Curtain tape
- 6363 Iron tape


**Note:** Single stack 60mm Wave not recommended.




6150M

## Fitting Information

### Bracket Positioning



## Fitting of track to bracket




- A: Using adjustable bracket 11209
- B: Using ceiling fix bracket 6138p
- C: Using top fix bracket 0335
- D: Using maxi adjustable bracket 0334


All 50mm Metropole are supplied with Maxi bracket 0334 as standard unless otherwise specified.

## Fitting Options


### Wall fix with adjustable Smart Fix brackets 11209



	X(mm)
11209	80-100




11209  
Smart Fix with  
extension arm set




6141  
Track insert (uses  
screw 0798)

Brackets are threaded with M4x8


### Ceiling fix with bracket 6138p2



	X (mm)
6138P2	80



6138P2  
Ceiling support set  
(9mm)




6141  
Track insert (uses  
screw 0798)

The distance 'x' will depend on the curtain style and any other obstacles.





6150M

## Ceiling fix using top fix bracket 0335




	X (mm)
0335	50





The distance 'x' will depend on the curtain style and any other obstacles.

## Wall fix with maxi adjustable bracket 0334




	X (mm)	Y (mm)
0334	80	100




0334  
Maxi adjustable  
bracket

6141  
Track insert (uses  
screw 0798)

## Wall fitting with Smart Fix with slot 11206-08



	X (mm)
11206	33-51
11207	53-71
11208	73-91




6141  
Track insert (uses  
screw 0798)





6150M

Brackets are threaded with M4x8

## Wall Fitting with Square Smart Fix with slot 11216-11218



	X (mm)
11216	33-51
11217	53-71
11218	73-91



6141  
Track insert (uses  
screw 0798)

Brackets are threaded with M4x8

## Standard Accessories


### Parts

0334 Maxi adjustable bracket



0350 Flush endcap (50mm)



0360	Profile		3004	Clamp	
6086	Spring stop		10840	Two component roller	
10850	Profile		10925	Profile	
10926	Clamp		10931	Roller	

## Optional Accessories

### Parts

0315	Fused barrel (50mm)		0327	Fused ball (50mm)	
0333	Glass ball (50mm)		0335	Top fix bracket	
0630	Groove Cylinder (50mm)		0697	Strata (50mm)	
0714	Stud End cap (50mm)		0717	Ball end finial (50mm pole)	
0718	Spear finial (50mm pole)		0898	Crystal Square (50mm)	
0899	Crystal Cylinder (50mm)		6007	Endstop	
6283	Roller glider		10926	Clamp	
11206	Smart Fix, 60 mm with slot set		11207	Smart Fix, 80 mm with slot set	
11207	Smart Fix, 80 mm with slot set		11209	Smart Fix with extension arm set	
11216	Square Smart Fix, 60 mm with slot set		11217	Square Smart Fix, 80 mm with slot set	
11218	Square Smart Fix, 100 mm with slot set		6138P2	Ceiling support set (9mm)	

6150M

## Wave Accessories

The Wave parts listed below may apply to one or both Systems 5100 and 5600. Some parts are used on both, some are used on one or other of the systems.

3582	Hook		6007	Endstop	
6349	Wave curtain heading tape		6363	Top hemming tape	
10075	Lead weight 50 gr/m		10076	Fabric weight	
10822	Master carrier set		10823	Belt connector arm	
10824	Belt connector pin		10838	Pilot runner set	
10844	Wave end stop, motor		10845	Wave master carrier, single stack 80mm	
10852	Wave roller cord (80mm), 6.5mm channel		10854	Wave overlap support arm	
10856	Wave end stop, belt return		10867	Panhead screw M4x16	
10869	Wave roller cord (60mm), 6.5mm channel		10886	Wave overlap arm, pilot runner set	
10887	Wave overlap arm set		10905	Wave glider cord (80mm), 6.5mm channel	
10906	Wave glider cord (60mm), 6.5mm channel		10924	Wave glider support	




## Motor Options

6150M

### Motor Colours

The motors are hidden behind the curtain, however, visible motor parts (the small top section), is colour matched to the profile.


### Option 1: System 5100 Autoglide with motor 5190



- Torque: 1.0Nm
- Speed: 130rpm
- Speed: 15cm/S
- Voltage: 100 - 240 V AC 50/60 Hz
- Power: 72W
- Safety class: IP20
- Noise level: < 45 dBA (30cm)
- Thermal overload protection
- Temperature for operation: 0°C to + 60°C
- Frequency receiver of Motor: 433.92 MHz

The motor 5190 is supplied with a 5m power cable with a 3 pin plug.

## Option 2: System 5600 using Motor 9060 (100-250V AC & 24V DC)



- Voltage: 100-250V AC
- Frequency: 50-60Hz
- Current: 1.3/0.45A
- Speed: 160/120rpm
- Noise level: <36 dBA
- Thermal overload protection
- ETL/UL, CE/IECEE Standard
- Weight: 1.4kg

Important: For Radio Control system 0450 order module 9063, Radio Control system 9940 order module 9063EL.

For further information on the above electric track systems please refer to the Electric Curtain Track Systems catalogue ([www.silentgliss.co.uk](http://www.silentgliss.co.uk)).



6150M

[www.silentgliss.co.uk](http://www.silentgliss.co.uk)  
[www.silentglissglobal.com](http://www.silentglissglobal.com)

Silent Gliss Ltd  
Pyramid Business Park  
Poorhole Lane  
Broadstairs  
Kent  
CT10 2PT  
Great Britain

Tel: +44 (0) 1843 863571  
Fax: +44 (0) 1843 864503  
[info@silentgliss.co.uk](mailto:info@silentgliss.co.uk)

Silent Gliss Global Ltd  
Pyramid Business Park  
Poorhole Lane  
Broadstairs  
Kent  
CT10 2PT  
Great Britain

Tel: +44 (0) 1843 874250  
Fax: +44 (0) 1843 874457  
[info@silentglissglobal.com](mailto:info@silentglissglobal.com)