


## Cord Operated Curtain Pole System

# Silent Gliss® 6120M Metropole 30mm




### Product Information

- Cord operated system for domestic and contract applications
- 6120 can be bent to a small radius for bay windows etc
- For light to medium weight curtains
- Made to measure
- Profile length 6m (chrome effect 4m)
- Choice of 14 different finishes - ecru, bronze, antique bronze, chrome effect, gunmetal, black, white, matt white, slate grey, sand, taupe, charcoal and ochre
- Wide range of finials in contemporary or traditional styles
- Easy wall or ceiling fix
- Suitable for use with Wave Standard curtain heading system



6120M

## Profile, Bending and Specification Information



6106




Standard radius 300mm

Specification Information - for download refer to [www.silentgliss.co.uk](http://www.silentgliss.co.uk) (password required).


Silent Gliss 6120 curtain track, cord drawn, aluminium, assembled complete with gliders 6143 at 10/m. Metal overlap arm 6003, pulley set cord set 0340, end caps 0346, cord 3091, pilot 6534 and endstops 6065. Face fix with bracket 11206-11208/11216-11218/11209/0674/0334/ top fix with bracket 0335/6138P2/ 6138P6 each screwed to timber/plugged and screwed to block/concrete at 600mm centres. Finished in ecru, bronze, antique bronze, chrome effect, gunmetal, black, white, matt white, slate grey, sand, taupe, charcoal or ochre.

## How To Measure



A: system width  
B: cord height

## Stack Size Calculation Wave Standard



a = Stack depth  
b = Stack size  
c = Min. distance

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
6	10	2.1	10	23 per metre of track + endpiece	8
6	12	2.3	12	23 per metre of track + endpiece	9
8	14	2.1	14	18 per metre of track + endpiece	10
8	16	2.3	16	18 per metre of track + endpiece	11

### Wave standard with roller gliders

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
8	14	2.1	14	21 per metre of track + endpiece	10
8	16	2.3	16	21 per metre of track + endpiece	11

(dimensions in cm)

Note: Minimum distance (c) allows a standard 3cm clearance (front and back).

## System Dimensions

## Maximum curtain weights

	Standard Application with Glider						Standard Application with Roller/ Wave Roller					
	1 m	2 m	3 m	4 m	5 m	6 m	1 m	2 m	3 m	4 m	5 m	6 m
	9	9	8	8	7	7	12	11	11	11	10	10
	10	10	9	9	8	8	13	13	12	11	11	10
	7	7	6	6	5	5	9	8	8	8	7	7
	8	8	7	7	6	6	10	9	9	9	8	8
	4	4	3	3	2	2	6	5	5	5	4	4
	5	5	4	4	3	3	7	6	6	6	5	5
	3	3	2	2	1	1	5	4	4	4	3	3
	4	4	3	3	2	2	6	5	5	5	4	4

(kg max.)


(kg max.)

## Wave maximum curtain weights

Maximum curtain weight when using Wave curtain heading is 2.5kg/m unless the weight in above table is less in which case follow table. A greater weight may be achieved using wave roller glider 6098W (refer to table above right).

## Design Options

### Endcaps




Without finials, poles are supplied as standard with flush fitting endcaps 0346 (left). Alternatively, stud endcaps 0707 (right) can be selected at no additional cost.




6120M

### Finials




Finials are decorative elements that fit on the end of the pole.



- A: 0873 Design Endcap 20mm
- B: 0556 Ball End 70mm
- C: 0719 Spear 135mm
- D: 0986 Groove Ball 85mm
- E: 0629 Groove Cylinder 85mm
- F: 0901 Strata 65mm
- G: 0886 Crystal Cube 55mm
- H: 0896 Crystal Cylinder 55mm
- I: 0995CL Shard Clear 127mm
- J: 0995ET Shard Etched 127mm
- K: 0311 Fused Barrel 102mm (walnut/oak/matched)
- L: 0324 Fused Ball 60mm (walnut/oak/matched)
- M: 0331 Glass Ball (clear/frosted) 55mm

### Wave Standard curtain heading system



6120M

Wave Standard is an exciting new contemporary curtain heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.

When using the Wave curtain heading system please note the maximum recommended curtain weight is 2.5kg/m. A greater weight may be achieved using wave roller glider 6098W (refer to System Dimensions).

The Wave standard components are:

- 6345 Glider Cord 60mm
- 6346 Glider Cord 80mm
- 6007 End stop


The items listed below for Enhanced Wave (80mm glider cord only) are all supplied at an additional cost as per the price list.

- 2255 Adjustable brake
- 6364 Extension (for use with 6365)
- 6365 Hanger (for use with 6364)
- 6366 Carrier for draw rod

Roller gliders must be ordered separately  
6098W Wave roller glider 80mm

Optional enhanced components to improve the presentation of the curtain:

- 3582 Hook
- 6349 Curtain tape
- 6363 Iron-on top hemming tape
- 10075 Lead weight for bottom hem 50gr/m
- 10076 Fabric weight for side of curtain




## Fitting Information

### WARNING


Young children can be strangled by loops in pullcords, chains, tapes and inner cords that operate the product. To avoid strangulation and entanglement, keep cords out of the reach of young children. Cords may become wrapped around a child's neck. Move beds, cots and furniture away from window covering cords. Do not tie cords together. Make sure cords do not twist to create a loop.

### Bracket positioning



An additional bracket may be required near the 'cord-end' of the system if the system is carrying very heavy curtains.

### Fitting of track to brackets




- A: Using bracket sets 11206-11208/11216-11218/11209
- B: Using pillar bracket 0674
- C: Using ceiling support 6138P
- D: Using top fix bracket 0335
- E: Using maxi adjustable bracket 0334



6120M


### Fitting bent tracks




Note: all bent Metropole systems are supplied with adjustable brackets 11209 as standard.

## Fitting Options


### Wall fix with adjustable Smart Fix bracket 11209



	X (mm)
11209	80-100



11209  
Smart Fix with  
extension arm set




6141  
Track insert (uses  
screw 0798)


Note: all bent Metropole systems are supplied with adjustable brackets 11209 as standard.

Brackets feature slot for screw M4x8


### Wall fix with Pillar bracket 0674



	x (mm)
0674	90




0674  
Pillar bracket (30 mm  
poles only)




6141  
Track insert (uses  
screw 0798)

### Ceiling fix with support 6138P



	X (mm)
6138P	80




6138p  
Ceiling support set  
(3mm)


6120M

The final distances may be outside of the recommendations above depending on curtain make-up and any obstructions.

### Ceiling fix with support 6138P2




	X (mm)
6138P2	80




6138P2  
Ceiling support set  
(9mm)

The minimum distance of 'x' will be 45mm (equal to the length of the bracket) but the actual distance will depend on the curtain make-up and any obstructions.

### Ceiling fix with support 6138P6




	X (mm)
6138P6	9




6138p6  
Ceiling support set  
(6mm)

The final distances may be outside of the recommendations above depending on curtain make-up and any obstructions.


### Ceiling fix with top fix bracket 0335



	X (mm)
0335	50




0335  
Top fix bracket




6141  
Track insert (uses  
screw 0798)


### Wall fix with maxi adjustable bracket 0334



	X (mm)	Y (mm)
0334	80	100



0334  
Maxi adjustable  
bracket




6141  
Track insert (uses  
screw 0798)




6120M

### Wall fitting with Smart Fix with slot 11206-11208




	X(mm)
11206	33-51
11207	53-71
11208	73-91




6141  
Track insert (uses  
screw 0798)

Brackets feature slot for screw M4x8


## Wall fitting with Square Smart Fix with slot 11216-11218



	X (mm)
11216	33-51
11217	53-71
11218	73-91



11216-18  
Square Smart Fix  
with slot (60-100  
mm)



6141  
Track insert (uses  
screw 0798)

Brackets feature slot for screw M4x8

## Standard Accessories

0340	Cording set (30mm)		0346	Flush endcap (30mm)	
3091	Cord		6063	Metal overlap arm	
6065	Twist eye endstop		6106	Profile	
6141	Track insert (uses screw 0798)		6143	Glider 6144 in strip form	
6784	Machine screw (for 6141 insert)		10400	Safety Cord Retainer	
11206	Smart Fix, 60 mm with slot set		11209	Smart Fix with extension arm set	



6120M

## Optional Accessories

### Single Parts

0311	Fused barrel (30mm)		0311	Fused barrel (30mm)	
0324	Fused ball (30mm)		0331	Glass ball (30mm)	
0334	Maxi adjustable bracket		0335	Top fix bracket	
0556	Ball end finial (30 mm)		0629	Groove Cylinder (30mm)	
0674	Pillar bracket (30 mm poles only)		0707	End cover (30mm)	
0719	Spear finial		0770	Finial connecting bracket	



0886	Crystal cube (30mm pole)		0901	Strata (30mm)	
0986	Groove Ball (30mm)		6063	Metal overlap arm	
6283	Roller glider		11207	Smart Fix, 80 mm with slot set	
11208	Smart Fix, 100 mm with slot set		11216	Square Smart Fix, 60 mm with slot set	
11217	Square Smart Fix, 80 mm with slot set		11218	Square Smart Fix, 100 mm with slot set	
6138P2	Ceiling support set (9mm)		6138p6	Ceiling support set (6mm)	
6138p	Ceiling support set (3mm)				

### Sets

6165	Intermediate pulley, containing		0708	Intermediate pulley cover	1	
			3810	Pulley	2	
			6103	Profile	1	
			6164	Clamping piece	1	
			6169	Holder	1	

6120M


### Wave Accessories

2216	Cord		3582	Hook	
6007	Endstop		6315	Pilot runner	
6345	Wave glider cord (60mm)		6346	Wave glider cord (80mm)	
6349	Wave curtain heading tape		6363	Top hemming tape	
6364	Extension		6365	Hanger	

6383 Limit stop



10075 Lead weight 50 gr/m



10076 Fabric weight




6098W Wave roller glider cord (80mm)



## Useful measurements

6063 Metal overlap arm



6120M