



Decorative Curtain Poles





Hand Operated Curtain Pole System

Silent Gliss® 6130M Metropole 30mm




Product Information

- Hand operated system for domestic and contract applications
- Unlike other poles, 6130 can be bent to a small radius for bay windows
- Choice of 13 different finishes - cream, bronze, antique bronze, gunmetal, black, steel grey, white, sand, classic gold, chrome effect, anodised silver, taupe and oak effect
- Metropole is available with a range of finials offering a contemporary or traditional finish
- Accessorised with matching end caps and co-ordinated or matching brackets/bracket covers
- Easy fitting to wall or ceiling
- For medium to heavy curtains
- Profile Length 6m (classic gold and chrome effect 3.95m, oak effect 5m)
- Suitable for use with Wave Standard and Wave XL curtain heading systems



6130M

Profile and Bending Information




Standard radius 300mm
Wave XL: Min. radius 500mm

Note: It is important to observe the minimum bending radius for Wave XL. The system will not function with a smaller radius.

Specification Guide - download from www.silentgliss.co.uk (password required).

Silent Gliss 6130 curtain track, hand drawn, aluminium, assembled complete with gliders 6143 at 10/m and 2 endcovers 0346. Face fix with bracket 3134/2-36/2/ 0537/ 0674/ 0334/ top fix with bracket 6138P/ 0335 each screwed to timber/plugged and screwed to block-work/concrete at 600mm centres. Finished in black, white, sand, classic gold, gunmetal, steel grey, chrome effect, anodised silver, antique bronze, bronze, cream, taupe and oak effect.



How To Measure



A: System Width - includes finials. See 'Design Options' for finial sizes.

Stack Size Calculation Wave Standard

6130M



a = Stack depth
b = Stack size
c = Min. distance

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
6	10	2.1	10	23 per metre of track + endpiece	8
6	12	2.3	12	23 per metre of track + endpiece	9
8	14	2.1	14	18 per metre of track + endpiece	10
8	16	2.3	16	18 per metre of track + endpiece	11


Wave standard with roller gliders

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
8	14	2.1	14	21 per metre of track + endpiece	10
8	16	2.3	16	21 per metre of track + endpiece	11




(dimensions in cm)

Note: Minimum distance (c) includes a standard 3cm clearance (front and back).

Stack Size Calculation Wave XL




a = Stack depth 35cm
b = Stack size
c = Min. distance 22cm

System width		77-107	108-143	144-179	180-215	216-251	252-287	288-323	324-359	360-395
	b	21	26	31	36	41	46	51	56	61
System width		396-431	432-468	469-503	504-539	540-575	576-600			
	b	66	71	76	81	86	91			
System width		154-217	218-289	290-361	362-433	434-505	506-577	578-600		
	b	21	26	31	36	41	46	51		

(dimensions in cm)


Design Options

Endaps




Without finials, poles are supplied as standard with flush fitting endcaps 0346 (left). Alternatively, stud endcaps 0707 (right) can be selected at no additional cost.

Finials



Finials are decorative elements that fit on at the end of the pole.

Please refer to the Metropole brochure for full range details.




A

B

C


D



E

F


G



H

I

J



K

L


M

- A: 0873 Design Endcap 20mm
- B: 0556 Ball End 70mm
- C: 0719 Spear 135mm
- D: 0986 Groove Ball 85mm
- E: 0629 Groove Cylinder 85mm
- F: 0901 Strata 65mm
- G: 0886 Crystal Cube 55mm
- H: 0896 Crystal Cylinder 55mm
- I: 0995CL Shard Clear 127mm
- J: 0995ET Shard Etched 127mm
- K: 0311 Fused Barrel 101mm (walnut/oak/matched)
- L: 0324 Fused Ball 62mm (walnut/oak/matched)
- M: 0311 Glass Ball (clear/frosted) 54mm



6130M

Wave Standard curtain heading system



Wave Standard is an exciting contemporary curtain heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.

When using the Wave curtain heading system please note the maximum recommended curtain weight is 2.5kg/m or 10kg/m with wave roller glider 6098W.

The Wave standard components are:

6345 Glider Cord 60mm
6346 Glider Cord 80mm
6007 End stop


The items listed below for Enhanced Wave (80mm glider cord only) are all supplied at an additional cost as per the price list.

2255 Adjustable brake
6364 Extension (for use with 6365)
6365 Hanger (for use with 6364)
6366 Carrier for draw rod

Roller gliders must be ordered separately
6098W Wave roller glider 80mm


Optional enhanced components to improve the presentation of the curtain:

3582 Hook
6349 Curtain tape
6363 Iron-on top hemming tape
10075 Lead weight for bottom hem 50gr/m
10076 Fabric weight for side of curtain




Wave XL curtain heading system

6130M



Wave XL is especially designed for high and large application areas through generously designed waves with large cross section dimensions.



The Wave XL components are:


- 2216 Cord 0.85 mm
- 2255 Adjustable brake
- 6007 End stop
- 6349 Curtain tape
- 6363 Iron tape
- 6391 Hanger
- 6392 Heading film
- 6393 Glider
- 6395 Extension
- 6399 Carrier for draw rod

Additional optional Wave components:


- 6398 Clip

Fitting Information

Bracket positioning when using standard brackets 3134-3136



Fitting of tracks to brackets




- A: Using brackets 3134/2 - 3136/2
- B: Using pillar bracket 0674C: Using midial bracket 0797A
- D: Using top fix bracket 0335
- E: Using maxi bracket 0334



6130M


Fitting bent tracks




Note: all bent Metropole systems are supplied with adjustable bracket 0537 as standard.

Fitting Options


Wall fix with brackets 3134/2-36/2



	X (mm)
3134/2	52
3135/2	72
3136/2	92




3134/2-3136/2
Extension brackets




6141
Track insert (uses
screw 0798)

Ceiling fix with support 6138P



X (mm)
80




6138p
Ceiling support set
(3mm)

The final distances may be outside of the recommendations above depending on curtain make-up and any obstructions.


Min. distance from wall when using Wave XL: 220mm.

Wall fix with adjustable bracket 0537


6130M



X (mm)
80-100




0537
Adjustable bracket




6141
Track insert (uses
screw 0798)

Note: all bent Metropole systems are supplied with adjustable bracket 0537 as standard.


Wall fix with Pillar bracket 0674



X (mm)
0674 95




0674
Pillar bracket (30 mm
poles only)




6141
Track insert (uses
screw 0798)


Ceiling fix with top fix bracket 0335



	X (mm)
0335	50




0335
Top fix bracket




6141
Track insert (uses
screw 0798)


Wall fix with maxi adjustable bracket 0334



	X (mm)	Y (mm)
0334	80	100



0334
Maxi adjustable
bracket



6141
Track insert (uses
screw 0798)

Standard Accessories

Parts

0346	Flush endcap (30mm)		0537	Adjustable bracket	
3133	Bracket cover (60mm)		6065	Twist eye endstop	
6103	Profile		6141	Track insert (uses screw 0798)	
6143	Glider 6144 in strip form		6784	Machine screw (for 6141 insert)	
3134/2	Pole extension bracket (60mm - all colours)				

6130M



















Optional Accessories

Parts


0901 (30 mm)	Strata		0311	Fused barrel (30mm)	
0311	Fused barrel (30mm)		0324	Fused ball (30mm)	
0334	Maxi adjustable bracket		0335	Top fix bracket	

0556	Ball end finial (30 mm)		0629	Groove Cylinder (30mm)	
0674	Pillar bracket (30 mm poles only)		0707	End cover (30mm)	
0719	Spear finial		0770	Finial connecting bracket	
0873	Design Endcap 30mm		0886	Crystal cube (30mm pole)	
0896	Crystal cylinder (30mm)		0986	Groove Ball (30mm)	
6283	Roller glider		6635	Internal connecting bridge assembly	
0797A	Midial bracket		3135/2	Pole extension bracket (80mm - all colours)	
3136/2	Pole extension bracket (100mm - all colours)		6138p	Ceiling support set (3mm)	
0995CL	Shard Clear (30mm)		0995ET	Shard Etched (30mm)	


Wave Accessories

6130M	2216	Cord		2255	Adjustable brake	
	3582	Hook		6007	Endstop	
	6345	Wave glider cord (60mm)		6346	Wave glider cord (80mm)	
	6349	Curtain tape		6363	Top hemming tape	
	6364	Extension		6365	Hanger	
	6366	Wave carrier for draw rod		6391	Hanger	
	6392	Heading film		6393	Glider	
	6395	Extension		6398	Clip	
	6399	Carrier for Draw rod		10075	Lead weight 50 gr/m	

10076 Fabric weight



6098W Wave roller glider cord (80mm)



6130M

www.silentgliss.co.uk
www.silentglissglobal.com

Silent Gliss Ltd
Pyramid Business Park
Poorhole Lane
Broadstairs
Kent
CT10 2PT
Great Britain

Tel: +44 (0) 1843 863571
Fax: +44 (0) 1843 864503
info@silentgliss.co.uk

Silent Gliss Global Ltd
Pyramid Business Park
Poorhole Lane
Broadstairs
Kent
CT10 2PT
Great Britain

Tel: +44 (0) 1843 874250
Fax: +44 (0) 1843 874457
info@silentglissglobal.com