

Wave XL with Silent Gliss 5400

Wave® – A new Dimension in Curtain Making

















Fabrics

A perfect regular wave line is only assured when using fabrics with certain characteristics and features. All fabrics from the Silent Gliss collections were thoroughly tested on both systems Wave®/Wave XL and carefully selected. The fabrics suitable for Wave XL, Wave® or both are individually labelled with the following pictograms.

Wave®


Wave XL

Left: Wave® Standard Right: Wave XL





Wave XL




Wave XL is available single or pair stack with the following Silent Gliss Systems:

	Hand drawn systems Silent Gliss 6100, 6130, 6290	Cord operated systems Silent Gliss 3840, 6120	Motorised system Silent Gliss 5400
Maximum width	6m	6m	10m
Minimum width	77cm (single stack); 154cm (pair stack)	77cm (single stack); 154cm (pair stack)	77cm (single stack); 154cm (pair stack)
Maximum drop	3m	5m	5m
Maximum surface	18m ²	30m ²	50m ²
Minimum bending radius	50cm	50cm	50cm
Maximum curtain weight	-	8kg	15kg

Due to the large wave radiuses a minimum distance of 22cm between the track and the wall is required. The curtain stack size depends on the total system width. The depth of the curtain stack is always 35cm.



Wave® Standard



The curtain heading system Wave® Standard is comprised of four basic elements: The special glider-cords SG 6345 (60mm) and SG 6346 (80mm), the curtain tape SG 6349, the iron-on tape SG 6363 and the curtain hook SG 3582.

Wave® Standard is available with the following Silent Gliss curtain track systems:

Hand drawn curtain tracks: Silent Gliss 3840, 6130, 6100 Cord operated curtain tracks: Silent Gliss 3840, 6120 Motorised curtain track systems: Silent Gliss 5300, 5400



The fullness and wave depth of the curtain depends on the selected glider cord and the applied spacing between the curtain hooks. The stack depth varies between 8cm and 14cm.



Example of largest Wave® curtain effect using 80mm glider-cord with 160mm curtain hook spacing.



Example of smallest Wave® curtain effect using 60mm glider-cord with 100mm curtain hook spacing.



Silent Gliss is the leading global supplier of motorised and manual curtain and blind systems in the high quality market. We offer our customers the very best in terms of quality, design, technology, service and individuality. Our core competence is innovation - inspired and driven by customer needs. A team of highly skilled and experienced professionals works on new developments as well as on the improvement of existing products. With committed customer support teams Silent Gliss provides an extensive range of services including technical advice, fitting services and maintenance all around the world.

www.silentgliss.co.uk

Silent Gliss Ltd.
Pyramid Business Park
Poorhole Lane, Broadstairs
Kent CT10 2PT

Tel: +44 (0) 1843 863571 Fax: +44 (0) 1843 864503 sales@silentgliss.co.uk