



SG 6120M



PRODUCT INFORMATION

- **Operation:** cord
- **Range:** M - L
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016, various colours / finishes
- **Fabrics:** refer to Silent Gliss fabric collection

Features:

- 2-component (2C) glider technology
- Wave (2C)
- Matching endcaps and brackets / bracket covers
- Range of decorative finials
- Bendable

SYSTEM SPECIFICATIONS

A. SYSTEM DIMENSIONS



6 m




13 kg

Max. curtain weights

Standard Application with Glider							Standard Application with Roller/ Wave Roller						
	1 m	2 m	3 m	4 m	5 m	6 m		1 m	2 m	3 m	4 m	5 m	6 m
	9	9	8	8	7	7		12	11	11	11	10	10
	10	10	9	9	8	8		13	13	12	11	11	10
	7	7	6	6	5	5		9	8	8	8	7	7
	8	8	7	7	6	6		10	9	9	9	8	8
	4	4	3	3	2	2		6	5	5	5	4	4
	5	5	4	4	3	3		7	6	6	6	5	5
	3	3	2	2	1	1		5	4	4	4	3	3
	4	4	3	3	2	2		6	5	5	5	4	4
(kg max.)							(kg max.)						

B. PROFILE

Profile and bending information




SG 6106

Profile

Radius:
✓ >30 cm

C. HOW TO MEASURE



A: System width
B: System height
C: Distance between floor and fabric
D: Cord height
E: Safety Retainer SG 10731 min. 150 cm above floor

D. SPECIFICATION TEXT


Silent Gliss SG 6120 'Metropole' cord operated curtain track system. Comprises 30mm aluminium profile SG 6106 supplied made to measure with 2C gliders SG 11300 at 14/m, 2 end covers SG 20346, cord guide/return set SG 20340, overlap SG 6063 and cord SG 3091. Straight poles supplied as standard with wall 'face' fix Smart Fix brackets SG 11206 at max. 600mm centres. Optional wall fix brackets SG11207-11208 / SG 11216-11218 / SG 11209 / Maxi bracket SG 20334 / Blok bracket SG 20989 / Pillar bracket SG 20674. Bent systems for wall 'face' fix supplied as standard with adjustable Smart Fix bracket SG 11209. Ceiling 'top' fix with bracket SG 6151 / SG 20335 at max. 600mm centres. Finished in Ecru, Bronze, Antique Bronze, Gunmetal, Black, Charcoal, Anodic Grey, Slate Grey, Matt White, White, Sand, Ochre, Chrome Effect, or Taupe. A range of decorative finials are available. Silent Gliss Wave option is available using 60mm glider cord 11303 / 80mm glider cord 11302 / 80mm roller glider cord SG 6099. Compliant to Child Safety legislation EN 13120.

FITTING

A. FITTING INFORMATION


Fixing points


For detailed fitting information, visit the Silent Gliss website.



B. CEILING FITTING

Support SG 6151







SG 6151

Ceiling support set 3 mm

Top fix bracket SG 20335




SG 20335


Top fix bracket

C. WALL FITTING

Smart Fix




Smart Fix with slot SG 11206 - SG 11208 and SG 6141:
Screw SG 20798 (M4x10) needed.




**Square Smart Fix with slot SG 11216 - SG 11218
and SG 6141:**
Screw SG 20798 (M4x10) needed.

Smart Fix	X mm
SG 11206 / SG 11216	51
SG 11207 / SG 11217	71
SG 11208 / SG 11218	91
SG 11209 / SG 11472	80-100




Adjustable Smart Fix SG 11209 and SG 6141:
Screw SG 6784 (M4x8) needed.

Note: all bent Metropole systems are supplied with adjustable bracket SG 11209 as standard.




Adjustable Square Smart Fix SG 11472 and SG 6141:
Screw SG 6784 (M4x8) needed.




SG 6141
Clamping piece




SG 6784
Hexagon socket countersunk
screw M4x8 mm




SG 11206
Smart Fix with slot 60 mm




SG 11207
Smart Fix with slot 80 mm




SG 11208
Smart Fix with slot 100 mm




SG 11209
Adjustable Smart Fix




SG 11216
Square Smart Fix with slot 60
mm



SG 11217
Square Smart Fix with slot 80
mm



SG 11218
Square Smart Fix with slot
100 mm




SG 11472
Adjustable Square Smart Fix




SG 20798
Hexagon socket countersunk
screw M4x10 mm

Pillar bracket SG 20674



Screw SG 6784 (M4x8) needed.




SG 6141

Clamping piece



SG 6784


Hexagon socket countersunk screw M4x8 mm




SG 20674

Pillar bracket 115 mm

Maxi adjustable bracket SG 20334




Screw SG 20798 (M4x10) needed.



SG 6141

Clamping piece



SG 20334



Maxi adjustable bracket



SG 20798


Hexagon socket countersunk screw M4x10 mm

Blok bracket SG 20989



SG 6141

Clamping piece




SG 20989

Blok bracket

DESIGN & SYSTEM OPTIONS


A. ENDCAPS



Without finials, poles are supplied as standard with flush fitting endcaps SG 20346 (left).


Alternatively, stud endcaps SG 20707 (right) can be selected at no additional cost.

B. FINIALS



Finials are decorative elements that fit on at the end of the pole.

Please refer to the Metropole brochure for full range details.



A: SG 20873 Design Endcap 20mm

B: SG 20556 Ball End 70mm

C: SG 20719 Spear 135mm

D: SG 20986 Groove Ball 85mm

E: SG 20629 Groove Cylinder 85mm

F: SG 20901 Strata 65mm

G: SG 20886 Crystal Cube 55mm
(green, black, brown)

H: SG 20896 Crystal Cylinder 55mm
(green, black, brown)

I: SG 20995 Shard Clear 127mm


J: SG 20995 Shard Etched 127mm

K: SG 20311 Fused Barrel 102mm
(walnut, oak, colour matched)


L: SG 20324 Fused Ball 60mm
(walnut, oak, colour matched)

M: SG 20331 Glass Ball 55mm
(clear, frosted)

C. WAVE




SG 11295




SG 11302

Standard components:

- SG 11295 End stop
- SG 11302 Wave 2C glider cord 80 mm




SG 6099



SG 6364



SG 6365




SG 11303

Optional component:


- SG 6099 Wave roller cord 80 mm
- SG 6364 Wave extension
- SG 6365 Wave hanger
- SG 11303 Wave 2C glider Cord 60 mm




SG 3582



SG 6349



SG 6363



SG 10075




SG 10076

Curtain components:

- SG 3582 Hook
- SG 6349 Wave curtain tape
- SG 6363 Wave top hemming tape
- SG 10075 Lead weight 50 gr/m
- SG 10076 Fabric weigh

Wave stack depth - 2C glider cord (standard components)



2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

*Stack size B when using optional extension arm SG 6364 increases by 175 mm per curtain stack!

GENERAL NOTES

Dimensions

- Measurements are in mm except where indicated.
- Max. kg relates to fabric incl. accessories.
- Stack size depends on curtain make-up and fabric thickness.
- Distance between gliders max. 80 mm / distance between rollers max. 100 mm.
- Recommended distance floor / fabric: 20 mm.
- In order to determine system height (B), the smallest room height must be taken into account.
- Full functionality may be affected if the curtain touches the profile.

Fitting









- Installation by qualified fitter only.
- Number of brackets and fitting positions / fixing points vary depending on fitting surface, system weight, fabric make-up, screw / fixing type and obstacles.
- Qualified fitter must use appropriate screws / fixings for each situation.
- Profile lip if applicable to be installed to room side.

Child Safety













- All relevant Silent Gliss systems correspond to child safety EN 13120.
- All parties involved must comply with EN 13120.










PARTS






A. STANDARD PARTS

	SG 3091 Cord ø 3.5 mm
	SG 6063 Overlap arm
	SG 6065 End stop
	SG 6106 Profile
	SG 6141 Clamping piece
	SG 6315 Pilot runner
	SG 10731 Child safety retainer set
	SG 11206 Smart Fix with slot 60 mm
	SG 11300 2C glider
	SG 20340 Cording set 30 mm
	SG 20346 Flush endcap 30 mm
	SG 20798 Hexagon socket countersunk screw M4x10 mm

B. OPTIONAL PARTS

	SG 3582 Hook
	SG 6063 Overlap arm
	SG 6099 Wave roller cord 80 mm
	SG 6151 Ceiling support set 3 mm
	SG 6165 Intermediate pulley
	SG 6283 Roller
	SG 6349 Wave curtain tape
	SG 6363 Wave top hemming tape
	SG 6364 Wave extension
	SG 6365 Wave hanger
	SG 6784 Hexagon socket countersunk screw M4x8 mm
	SG 10075 Lead weight 50 g/m
	SG 10076 Fabric weight
	SG 11207 Smart Fix with slot 80 mm

	SG 11208 Smart Fix with slot 100 mm
	SG 11209 Adjustable Smart Fix
	SG 11216 Square Smart Fix with slot 60 mm
	SG 11217 Square Smart Fix with slot 80 mm
	SG 11218 Square Smart Fix with slot 100 mm
	SG 11295 End stop
	SG 11301 2C glider on strip
	SG 11302 Wave 2C glider cord 80 mm
	SG 11303 Wave 2C glider cord 60 mm
	SG 11472 Adjustable Square Smart Fix
	SG 20311 Fused barrel 102 mm
	SG 20324 Fused ball 60 mm
	SG 20331 Glass ball 55 mm
	SG 20334 Maxi adjustable bracket

	SG 20335 <i>Top fix bracket</i>
	SG 20556 <i>Ball end 70 mm</i>
	SG 20629 <i>Groove cylinder 85 mm</i>
	SG 20674 <i>Pillar bracket 115 mm</i>
	SG 20707 <i>End cover 30 mm</i>
	SG 20719 <i>Spear 135 mm</i>
	SG 20770 <i>Finial connecting bracket</i>
	SG 20873 <i>Design endcap 20 mm</i>
	SG 20886 <i>Crystal cube 55 mm</i>
	SG 20896 <i>Crystal cylinder 55 mm</i>
	SG 20901 <i>Strata 65 mm</i>
	SG 20986 <i>Groove ball 85 mm</i>
	SG 20989 <i>Blok bracket</i>
	SG 20995 <i>Shard 127 mm</i>

