



SG 6130M



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** M - L
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016, various colours / finishes
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- 2-component (2C) glider technology
- Wave (2C)
- Matching endcaps and brackets / bracket covers
- Range of decorative finials
- Bendable

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information




SG 6103p

Profile



B. HOW TO MEASURE



A: System width includes finials

B: System height

C: Distance between floor and fabric

C. SPECIFICATION

TEXT


Silent Gliss SG 6130 'Metropole' hand operated curtain track system. Comprises 30mm aluminium profile SG 6103 supplied made to measure with 2C gliders SG 11300 at 14/m, 2 no. flush end covers SG 20346 and 2 no. end stops SG 6065. Straight poles supplied as standard with wall 'face' fix Smart Fix brackets SG 11206 at max. 600mm centres. Optional wall fix brackets SG11207-11208 / SG 11216-11218 / SG 11209 / Maxi bracket SG 20334 / Blok bracket SG 20989 / Pillar bracket SG 20674. Bent systems for wall 'face' fix supplied as standard with adjustable Smart Fix bracket SG 11209. Ceiling 'top' fix with bracket SG 6151 / SG 20335 at max. 600mm centres. Finished in Ecru, Bronze, Antique Bronze, Gunmetal, Black, Charcoal, Anodic Grey, Slate Grey, Matt White, White, Sand, Ochre, Chrome Effect, Anodised Silver or Taupe. A range of decorative finials are available. Silent Gliss Wave option is available using 60mm glider cord SG 11303 / 80mm glider cord SG 11302 / 80mm roller glider cord SG 6099.

FITTING

A. FITTING INFORMATION



For detailed fitting information, visit the *Silent Gliss* website.

Fixing points



B. CEILING FITTING



Support SG 6151



SG 6151

Ceiling support set 3 mm

Top fix bracket SG 20335




SG 20335

Top fix bracket


C. WALL FITTING

Smart Fix




Smart Fix with slot SG 11206 - SG 11208 and SG 6141:
Screw SG 20798 (M4x10) needed.

Smart Fix	X mm
SG 11206 / SG 11216	51
SG 11207 / SG 11217	71
SG 11208 / SG 11218	91
SG 11209 / SG 11472	80-100




Square Smart Fix with slot SG 11216 - SG 11218
and SG 6141:
Screw SG 20798 (M4x10) needed.




Adjustable Smart Fix SG 11209 and SG 6141:
Screw SG 6784 (M4x8) needed.

Note: all bent Metropole systems are supplied with
adjustable bracket SG 11209 as standard.




Adjustable Square Smart Fix SG 11472 and SG 6141:
Screw SG 6784 (M4x8) needed.




SG 6141
Clamping piece




SG 6784
Hexagon socket countersunk
screw M4x8 mm




SG 11206
Smart Fix with slot 60 mm




SG 11207
Smart Fix with slot 80 mm




SG 11208
Smart Fix with slot 100 mm




SG 11209
Adjustable Smart Fix



SG 11216
Square Smart Fix with slot 60
mm




SG 11217
Square Smart Fix with slot 80
mm



SG 11218

Square Smart Fix with slot
100 mm



SG 11472


Adjustable Square Smart Fix




SG 20798

Hexagon socket countersunk
screw M4x10 mm

Pillar bracket SG 20674



Screw SG 6784 (M4x8) needed.




SG 6141

Clamping piece



SG 6784


Hexagon socket countersunk
screw M4x8 mm




SG 20674

Pillar bracket 115 mm

Maxi adjustable bracket SG 20334




Screw SG 20798 (M4x10) needed.



SG 6141

Clamping piece



SG 20334



Maxi adjustable bracket




SG 20798

Hexagon socket countersunk
screw M4x10 mm

**Blok bracket
SG 20989**




SG 6141
Clamping piece



SG 20989
Blok bracket


DESIGN & SYSTEM OPTIONS

A. ENDCAPS




Without finials, poles are supplied as standard with flush fitting endcaps SG 20346 (left).
Alternatively, stud endcaps SG 20707 (right) can be selected at no additional cost.

B. FINIALS





Finials are decorative elements that fit on at the end of the pole.
Please refer to the *Metropole* brochure for full range details.



- A: SG 20873 Design Endcap 20mm
 B: SG 20556 Ball End 70mm
 C: SG 20719 Spear 135mm
 D: SG 20986 Groove Ball 85mm
 E: SG 20629 Groove Cylinder 85mm
 F: SG 20901 Strata 65mm
 G: SG 20886 Crystal Cube 55mm
 (green, black, brown)
 H: SG 20896 Crystal Cylinder 55mm
 (green, black, brown)
 I: SG 20995 Shard Clear 127mm
 J: SG 20995 Shard Etched 127mm
 K: SG 20311 Fused Barrel 102mm
 (walnut, oak, colour matched)
 L: SG 20324 Fused Ball 60mm
 (walnut, oak, colour matched)
 M: SG 20331 Glass Ball 55mm
 (clear, frosted)

C. WAVE




SG 11295

SG 11302

Standard components:

- SG 11295 End stop
- SG 11302 Wave 2C glider cord 80 mm



SG 2255

SG 6099

SG 6364

SG 6365


SG 6366

SG 10430-34

SG 11303

Optional components:



- SG 2255 Brake
- SG 6099 Wave roller cord 80 mm
- SG 6364 Wave extension
- SG 6365 Wave hanger
- SG 6366 Wave carrier for draw rod
- SG 10430-34 Draw rod
- SG 11303 Wave 2C glider cord 60 mm



Curtain components:

- SG 3582 Hook
- SG 6349 Wave curtain tape
- SG 6363 Wave top hemming tape
- SG 10075 Lead weight 50 gr/m
- SG 10076 Fabric weigh

Wave stack depth - 2C glider cord (standard components)



A = Stack depth
B = Stack size
C = Min. distance

2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

*Stack size B when using optional extension arm increases
by 95 mm per curtain stack!

GENERAL NOTES

Dimensions

- Measurements are in mm except where indicated.
- Max. kg relates to fabric incl. accessories.
- Stack size depends on curtain make-up and fabric thickness.
- Distance between gliders max. 80 mm / distance between rollers max. 100 mm.
- Recommended distance floor / fabric: 20 mm.
- In order to determine system height (B), the smallest room height must be taken into account.

Fitting





- Installation by qualified fitter only.
- Number of brackets and fitting positions / fixing points vary depending on fitting surface, system weight, fabric make-up, screw / fixing type and obstacles.
- Qualified fitter must use appropriate screws / fixings for each situation.
- Profile lip if applicable to be installed to room side.

Child Safety













- All relevant Silent Gliss systems correspond to child safety EN 13120.
- All parties involved must comply with EN 13120.














PARTS










A. STANDARD PARTS

	SG 6065 End stop
	SG 6103p Profile
	SG 6141 Clamping piece
	SG 11206 Smart Fix with slot 60 mm
	SG 11300 2C glider
	SG 20346 Flush endcap 30 mm
	SG 20798 Hexagon socket countersunk screw M4x10 mm

B. OPTIONAL PARTS

	SG 2255 Brake
	SG 3582 Hook
	SG 6099 Wave roller cord 80 mm
	SG 6151 Ceiling support set 3 mm
	SG 6283 Roller
	SG 6349 Wave curtain tape
	SG 6363 Wave top hemming tape
	SG 6364 Wave extension
	SG 6365 Wave hanger
	SG 6366 Wave carrier for draw rod
	SG 6784 Hexagon socket countersunk screw M4x8 mm
	SG 10075 Lead weight 50 g/m
	SG 10076 Fabric weight
	SG 10430 Draw rod 50 cm

	SG 10431 Draw rod 75 cm
	SG 10432 Draw rod 100 cm
	SG 10433 Draw rod 125 cm
	SG 10434 Draw rod 150 cm
	SG 11207 Smart Fix with slot 80 mm
	SG 11208 Smart Fix with slot 100 mm
	SG 11209 Adjustable Smart Fix
	SG 11216 Square Smart Fix with slot 60 mm
	SG 11217 Square Smart Fix with slot 80 mm
	SG 11218 Square Smart Fix with slot 100 mm
	SG 11295 End stop
	SG 11301 2C glider on strip
	SG 11302 Wave 2C glider cord 80 mm
	SG 11303 Wave 2C glider cord 60 mm

	SG 11472 Adjustable Square Smart Fix		SG 20896 Crystal cylinder 55 mm
	SG 20311 Fused barrel 102 mm		SG 20901 Strata 65 mm
	SG 20324 Fused ball 60 mm		SG 20986 Groove ball 85 mm
	SG 20331 Glass ball 55 mm		SG 20995 Shard 127 mm
	SG 20334 Maxi adjustable bracket		
	SG 20335 Top fix bracket		
	SG 20556 Ball end 70 mm		
	SG 20629 Groove cylinder 85 mm		
	SG 20674 Pillar bracket 115 mm		
	SG 20707 End cover 30 mm		
	SG 20719 Spear 135 mm		
	SG 20770 Finial connecting bracket		
	SG 20873 Design endcap 20 mm		
	SG 20886 Crystal cube 55 mm		

